

teorici, metodologie sperimentali, applicazioni nei materiali, in chimica e in biologia. Brallo di Pregola (PV), 28 settembre - 6 ottobre 1996. Organizzata in collaborazione con il Dipartimento di Chimica Generale, Università di Pavia. GIRSE (Gruppo Italiano di Risonanza di Spin Elettronico). p. 317-332.

Minetti, M., Pietraforte, D., Di Stasi, A.M.M., Mallozzi, C. (1996). Nitric oxide-dependent NAD linkage to glyceraldehyde-3-phosphate dehydrogenase: possible involvement of a cysteine thiyl radical intermediate. *Biochem. J.*, **319**: 369-375.

Pietraforte, D., Mallozzi, C., Di Stasi, A.M.M., Scorza, G., Minetti, M. (1996). Protein thiyl free radicals produced by nitric oxide and nitric oxide donors. *Res. Chem. Intermed.*, **22** (5): 481-489.

Pietraforte, D., Minetti, M. (1996). Peroxynitrite-dependent oxidative modification of proteins in human plasma. In: *The biology of nitric oxide*. Part 5. S. Moncada, J. Stamler, S. Gross, E.A. Higgs (Eds). Portland Press Proceedings. p. 111.

Podo, F. (1996). The EU BIOMED I concerted action on cancer and brain disease characterization and therapy assessment by quantitative magnetic resonance spectroscopy. In: *Eurospin annual 1995-1996*. Concerted action "Cancer and brain disease characterization and therapy assessment by quantitative magnetic resonance spectroscopy". Biomedical and Health Research Programme (BIOMED I); Commission of the European Communities. F. Podo, W.M.M.J. Bovée, J.D. de Certaines, O. Henriksen, M.O. Leach, D. Leibfritz (Eds). Roma, Istituto Superiore di Sanità. p. 3-14.

Podo, F., Bovée, W.M.M.J., Orr, J.S. (1996). Whole body machines: quality control. In: *Encyclopedia of nuclear magnetic resonance*. D.M. Grant, R.K. Harris (Eds). Chichester, Wiley. p. 4990-4995.

Podo, F., de Certaines, J.D. (1996). Magnetic resonance spectroscopy in cancer: phospholipid, neutral lipid and lipoprotein metabolism and function. In: *Proceedings of the special symposium on "Lipid metabolism and function in cancer. Significance of magnetic resonance spectroscopy (MRS) measurements in relation to biochemical processes and cellular control"*. Corfu (Greece), 17-22 October 1995. F. Podo, J.D. de Certaines (Eds). *Anticancer Res.*, **16** (3B): 1305-1316.

Podo, F., Ferretti, A., Knijn, A., Zhang, P., Ramoni, C., Barletta, B., Pini, C., Baccarini, S., Pulciani, S. (1996). Detection of phospho-

tidylcholine-specific phospholipase C in NIH-3T3 fibroblasts and their H-ras transformants: NMR and immunochemical studies. In: Proceedings of the special symposium on "Lipid metabolism and function in cancer. Significance of magnetic resonance spectroscopy (MRS) measurements in relation to biochemical processes and cellular control". Corfu (Greece), 17-22 October 1995. F. Podo, J.D. de Certaines (Eds). *Anticancer Res.*, **16** (3B): 1399-1412.

Proceedings of the special symposium on "Lipid metabolism and function in cancer. Significance of magnetic resonance spectroscopy (MRS). Measurements in relation to biochemical processes and cellular control". (1996). Corfu (Greece), 17-22 October 1995. F. Podo, J.D. de Certaines (Eds). *Anticancer Res.*, **16** (3B): 1305-1594.

Riccobono, F., Fiani, M.L. (1996). Mannose receptor dependent uptake of ricin A₁ and A₂ chains by macrophages. *Carbohydr. Res.*, **282**: 285-292.

Rosi, A., Guidoni, L., Luciani, A.M., Viti, V., Cherubini, R. (1996). Changes in lipid metabolism are evidenced by NMR spectroscopy, in HeLa cells and in their PCA extracts upon irradiation with low and high LET particles. In: *Proceedings of 2nd National joint congress SIRR-GIR*. Palermo (Italy), September 11-14, 1996. G. Spadaro (Ed.). Italian Society of Radiation Research; Radiochemistry Interdivisional Group, Italian Chemical Society. p. 396-399.

Sica, S., Rutella, S., Testa, U., Martucci, R., Menichella, G., Salutati, P., Chiusolo, P., Leone, G., Peschle, C. (1996). Endogenous cytokine levels after immunoselected CD34⁺ peripheral blood progenitor cell transplantation. *Br. J. Haematol.*, **93**: 492-494.

Testa, U., Fossati, C., Samoggia, P., Masciulli, R., Mariani, G., Hassan, H.J., Sposi, N.M., Guerriero, R., Rosato, V., Gabbianelli, M., Pelosi, E., Valtieri, M., Peschle, C. (1996). Expression of growth factor receptors in unilineage differentiation culture of purified hematopoietic progenitors. *Blood*, **88** (9): 3391-3406.

Tocci, A., Parolini, I., Gabbianelli, M., Testa, U., Luchetti, L., Samoggia, P., Masella, B., Russo, G., Valtieri, M., Peschle, C. (1996). Dual action of retinoic acid on human embryonic/fetal hematopoiesis: blockade of primitive progenitor proliferation and shift from multipotent/erythroid/monocytic to granulocytic differentiation program. *Blood*, **88** (8): 2878-2888.

Tomasi, M., Hearn, T.L. (1996). ISCOMs, liposomes, and oil-based vaccine delivery systems. In: *Mucosal vaccines*. Academic Press. p. 175-186.

Ziegler, B.L., Thoma, S.J., Lamping, C.P., Valtieri, M., Müller, R., Samoggia, P., Bühring, H.J., Peschle, C., Fliedner, T.M. (1996). Surface antigen expression on CD34⁺ cord blood cells: comparative analysis by flow cytometry and limiting dilution (LD) RT-PCR of chymopapain-treated or untreated cells. *Cytometry*, **25**: 46-57.

Sottoprogetto 2: Immunologia

Angiolella, L., Facchin, M., Stringaro, A., Maras, B., Simonetti, N., Cassone, A. (1996). Identification of a glucan-associated enolase as a main cell wall protein of *Candida albicans* and an indirect target of lipopeptide antimycotics. *J. Infect. Dis.*, **173**: 684-690.

Arancia, G., Molinari, A., Crateri, P., Stringaro, A., Ramoni, C., Dupuis, M.L., Gomez, M.J., Torosantucci, A., Cassone, A. (1996). Noninhibitory binding of human interleukin-2-activated natural killer cells to the germ tube forms of *Candida albicans*. *Infect. Immun.*, **63**(1): 280-288.

Ausiello, C.M., La Sala, A., Ramoni, C., Urbani, F., Funaro, A., Malavasi, F. (1996). Secretion of IFN- γ , IL-6, granulocyte-macrophage colony-stimulating factor and IL-10 cytokines after activation of human purified T lymphocytes upon CD38 ligation. *Cell. Immunol.*, **173**: 192-197.

Barletta, B., Afferni, C., Tinghino, R., Mari, A., Di Felice, G., Pini, C. (1996). Cross-reactivity between *Cupressus arizonica* and *Cupressus sempervirens* pollen extracts. *J. Allergy Clin. Immunol.*, **98**: 797-804.

Boirivant, M., Fuss, I., Fiocchi, C., Klein, J.S., Strong, S.A., Strober, W. (1996). Hypoproliferative human lamina propria T cells retain the capacity to secrete lymphokines when stimulated via the CD2/CD28 pathways. *Proc. Am. Assoc. Phys.*, **108** (1): 55-67.

Boirivant, M., Pica, R., De Maria, R., Testi, R., Pallone, F., Strober, W. (1996). Stimulated human lamina propria T cells manifest enhanced Fas-mediated apoptosis. *J. Clin. Invest.*, **98**: 2616-2622.

Cianfriglia, M., Poloni, F., Signoretti, C., Romagnoli, G., Tombesi, M., Felici, F. (1996). Topology of MDR1-P-glycoprotein as indicated by epitope mapping of monoclonal antibodies to human MDR cells. *Cytotechnology*, **19**: 247-251.

De Maria, R., Boirivant, M., Cifone, M.G., Roncaioli, P., Hahne, M., Tschopp, J., Pallone, F., Santoni, A., Testi, R. (1996). Functional expression of Fas and Fas ligand on human gut lamina propria T lymphocytes. *J. Clin. Invest.*, **97**: 316-322.

Federico, M., Bona, R., D'Aloja, P., Baiocchi, M., Pugliese, K., Nappi, F., Chelucci, C., Mavilio, F., Verani, P. (1996). Anti-HIV viral interference induced by retroviral vectors expressing a non-producer HIV-1 variant. In: Proceedings of the 9th Symposium on molecular biology of hematopoiesis. Genoa (Italy), June 23-27, 1995. *Acta Haematol.*, **95**: 199-203.

Fuss, I.J., Neurath, M., Boirivant, M., Klein, J.S., de la Motte, C., Strong, S.A., Fiocchi, C., Strober, W. (1996). Disparate CD4⁺ lamina propria (LP) lymphokine secretion profiles in inflammatory bowel disease. *J. Immunol.*, **157**: 1261-1270.

Lucarelli, M., Palitti, F., Carotti, D., Cianfriglia, M., Signoretti, C., Bozzi, A., Strom, R. (1996). AZT-induced hypermethylation of human thymidine kinase gene in the absence of total DNA hypermethylation. *FEBS Lett.*, **396**: 323-326.

Lucidi, V., Fiore, L., Caniglia, M., Rosati, P., Novello, F., Papadatou, B., Medda, E., Gentili, G., Amato, C., Castro, M. (1996). Poliomyelitis and tetanus immunization: antibody responses in patients with cystic fibrosis. *Pediatr. Infect. Dis. J.*, **15** (10): 914-916.

Luzzati, A.L., Boirivant, M., Giacomini, E., Giordani, L., Di Modugno, F., Chersi, A. (1996). Interferon-gamma (IFN- γ) can counteract the *in vitro* inhibitory effect of an HIV p24 immunosuppressive heptapeptide. *Clin. Exp. Immunol.*, **105**: 403-408.

Maiuri, L., Picarelli, A., Boirivant, M., Coletta, S., Mazzilli, M.C., De Vincenzi, M., Londei, M., Auricchio, S. (1996). Definition of the initial immunologic modifications upon *in vitro* gliadin challenge in the small intestine of celiac patients. *Gastroenterology*, **110**: 1368-1378.

Malorni, W., Rainaldi, G., Tritarelli, E., Rivabene, R., Cianfriglia, M., Lehnert, M., Donelli, G., Peschle, C., Testa, U. (1996). Tumor

necrosis factor α is a powerful apoptotic inducer in lymphoid leukemic cells expressing the P-170 glycoprotein. *Int. J. Cancer*, **67**: 238-247.

Mari, A., Di Felice, G., Afferni, C., Barletta, B., Tinghino, R., Sallusto, F., Pini, C. (1996). Assessment of skin prick test and serum specific IgE detection in the diagnosis of Cupressaceae pollinosis. *J. Allergy Clin. Immunol.*, **98**: 21-31.

Pisani, G., Wirz, M., Gentili, G. (1996). Anti-D testing in intravenous immunoglobulins: shouldn't it be considered? [Letter]. *Vox Sang*, **71**: 132.

Podo, F., Ferretti, A., Knijn, A., Zhang, P., Ramoni, C., Barletta, B., Pini, C., Baccarini, S., Pulciani, S. (1996). Detection of phosphatidylcholine-specific phospholipase C in NIH-3T3 fibroblasts and their H-ras transformants: NMR and immunochemical studies. *Anticancer Res.*, **16**: 1399-1412.

Quaranta, M.T., Petrini, M., Tritarelli, E., Samoggia, P., Carè, A., Bottero, L., Testa, U., Peschle, C. (1996). HOXB cluster genes in activated natural killer lymphocytes. Expression from 3' $\rightarrow$ 5' cluster side and proliferative function. *J. Immunol.*, **157**: 2462-2469.

Quintieri, F., Macellari, V. (1996). Transplantation in Italy. *J. Transplant Coord.*, **6** (4): 163-166.

Quintieri, F., Mariani, M. (1996). I° controllo nazionale di qualità della tipizzazione sierologica HLA. *La Trasfusione del Sangue*, **41** (3): 395-400.

Sallusto, F., Corinti, S., Pini, C., Biocca, M.M., Bruno, G., Di Felice, G. (1996). *Parietaria judaica*-specific T-cell clones from atopic patients: heterogeneity in restriction, V β , usage and cytokine profile. *J. Allergy Clin. Immunol.*, **97**: 627-637.

Sallusto, F., Nicolò, C., De Maria, R., Corinti, S., Testi, R. (1996). Ceramide inhibits antigen uptake and presentation by dendritic cells. *J. Exp. Med.*, **184**: 2411-2416.

Viora, M., De Luca, A., D'Ambrosio, A., Antinori, A., Ortona, E. (1996). *In vitro* and *in vivo* immunomodulatory effects of anti-*Pneumocystis carinii* drugs. *Antimicrob. Agents Chemother.*, **40** (5): 1294-1297.

Sottoprogetto 3: Malattie ereditarie ed errori congeniti del metabolismo

Cianciulli, P., Sorrentino, F., Morino, L., Massa, A., Sergiacomi, G.L., Donato, V., Amadori, S. (1996). Radiotherapy combined with erythropoietin for the treatment of extramedullary hematopoiesis in an alloimmunized patient with thalassemia intermedia. *Ann. Hematol.*, **72**: 379-381.

De Vincenzi, M., Dessì, M.R., Luchetti, R., Pogna, N., Redaelli, R., Galterio, G. (1996). Toxicity of bread wheat lines lacking prolamins encoded by the *Gli-B1/Gli-B5/Glu-B3* and *Gli-D1/Glu-D3* loci in coeliac disease as determined by their agglutinating activity. *ATLA*, **24**: 39-48.

De Vincenzi, M., Luchetti, R., Peruffo, A.D.B., Curioni, A., Pogna, N.E., Gasbarrini, G. (1996). *In vitro* assessment of acetic-acid-soluble proteins (glutenin) toxicity in celiac disease. *J. Biochem. Toxicol.*, **11** (4): 1-6.

De Vincenzi, M., Maialelli, F., Muzzarelli, R.A.A. (1996). Modified chitosan binds prolamine peptides toxic in the coeliac disease. In: *Advances in chitin science*. A. Domard, C. Jeuniaux, R. Muzzarelli, G. Roberts (Eds). Nottingham University (UK). Lyon, Jacques André Publisher. Vol. 1, p. 303-308.

De Vincenzi, M., Mancini, E., Dessì, M.R. (1996). Monographs on botanical flavouring substances used in foods. Part V. *Fitoterapia*, **67** (3): 241-252.

Giovannini, C., Luchetti, R., Mancini, E., De Vincenzi, M. (1996). Effects of cereal prolamins peptides of differentiated CaCo-2 cells. *ATLA*, **24**: 547-552.

Giovannini, C., Mancini, E., De Vincenzi, M. (1996). Inhibition of the cellular metabolism of CaCo-2 cells by prolamins peptides from cereals toxic for coeliacs. *Toxicol. in Vitro*, **10** (5): 533-538.

Hassan, H.J., Guerriero, R., Testa, U., Gabbianelli, M., Mattia, G., Montesoro, E., Macioce, G., Pace, A., Ziegler, B., Peschle, C. (1996). Megakaryocyte growth and maturation from purified peripheral blood progenitors in unilineage serum-free liquid culture. In: *Molecular biology of hematopoiesis*. N.G. Abraham, S. Asano, G. Brittinger, R. Shadduck. (Eds). p. 445-452.

Maiuri, L., Picarelli, A., Boirivant, M., Coletta, S., Mazzilli, M.C., De Vincenzi, M., Londei, M., Auricchio, S. (1996). Definition of the initial immunologic modifications upon *in vitro* gliadin challenge in the small intestine of celiac patients. *Gastroenterology*, **110**: 1368-1378.

Maiuri, L., Troncone, R., Mayer, M., Coletta, S., Picarelli, A., De Vincenzi, M., Pavone, V., Auricchio, S. (1996). *In vitro* activities of A-gliadin-related synthetic peptides. *Scand. J. Gastroenterol.*, **31** (3): 247-253.

Troncone, L., Maiuri, L., Leone, A., Mazzarella, G., Maurano, F., Vacca, L., Ciacci, C., De Vincenzi, M., Auricchio, S. (1996). Oat prolamines activate mucosal immune response in the *in vitro* cultured treated coeliac mucosa. *Pediatr. Gastroenterol. Nutr.*, **22** (4): 20.

Sottoprogetto 4: Malattie cardiovascolari e degenerative

Bravo, E., Cantafora, A., Marinelli, T., Avella, M., Mayes, P.A., Botham, K.M. (1996). Differential effects of chylomicron remnants derived from corn oil or palm oil on bile acid synthesis and very low density lipoprotein secretion in cultured rat hepatocytes. *Life Sci.*, **59** (4): 331-337.

Bravo, E., Ortu, G., Rivabene, R., Santini, M.T., Cantafora, A. (1996). Probucol reduces hepatic cholesterol secretion in hyperlipidemic Yoshida rats. *Atherosclerosis*, **119**: 223-233.

Bravo, E., Rivabene, R., Bruscalupi, G., Calcabrini, A., Arancia, G., Cantafora, A. (1996). Age-related changes in lipid secretion of perfused livers from male Wistar rats donors. *J. Biochem.*, **119**: 240-245.

Caiola, S., Lucia, P., Coppola, A., Maroccia, E., Belli, M., Ricciardi, G., Borelli, L.G., Colliardo, A., De Martinis, C., Buongiorno, A.M. (1996). Attivazione neuroendocrina nell'infarto acuto del miocardio: stato dell'arte e risultati preliminari sul peptide vasoattivo intestinale. *Ann. Ist. Super. Sanità*, **32** (3): 339-343.

Cantafora, A., Blotta, I. (1996). Neutral lipids production, transport, utilization. In: Proceedings of the special symposium on "Lipid metabolism and function in cancer. Significance of magnetic resonance spectroscopy (MRS) measurements in relation to biochemical processes and cellular control". Corfu (Greece), 17-22 October 1995. F. Podo, J.D. de Certaines (Eds). *Anticancer. Res.*, **16**: 1441-1450.

Lucia, P., Caiola, S., Coppola, A., Maroccia, E., Belli, M., Buongiorno, A.M., De Martinis, C. (1996). Early increase of vasoactive intestinal peptide in acute myocardial infarction. *Am. Heart J.*, **132**: 187-189.

Lucia, P., Caiola, S., Coppola, A., Maroccia, E., Belli, M., De Martinis, C., Buongiorno, A.M. (1996). Effect of age and relation to mortality on serial changes of vasoactive intestinal peptide in acute myocardial infarction. *Am. J. Cardiol.*, **77**: 644-646.

Masella, R., Pignatelli, E., Modesti, D., Marinelli, T., Giancola, R., Verna, R., Cantafora, A. (1996). Effect of dietary lipids on age-related lipemic variations in spontaneously dyslipidemic Yoshida rats. *Eur. J. Lab. Med.*, **4** (3).

Pintor, A., Fortuna, S., Lorenzini, P., Pascale, A., Battaini, F., Avellino, C., Malvezzi Campeggi, L., Salvati, S. (1996). Influences of hypothyroidism on lipid composition and inositol lipid-linked receptors responsiveness and protein kinase C (PKC) activity in the cerebral cortex of Lewis rats. *Neurochem. Res.*, **21** (5): 541-545.

Salvati, S., Attorri, L., Di Felice, M., Malvezzi Campeggi, L., Pintor, A., Tiburzi, F., Tomassi, G. (1996). Effect of dietary oils on brain enzymatic activities (2'-3'-cyclic nucleotide 3'-phospho-diesterase and acetylcholinesterase) and muscarinic receptor sites in growing rats. *J. Nutr. Biochem.*, **7**: 113-117.

Salvati, S., Sanchez, M., Malvezzi Campeggi, L., Suchanek, G., Breitschop, H., Lassmann, H. (1996). Accelerated myelinogenesis by dietary lipids in rat brain. *J. Neurochem.*, **67**: 1744-1750.

Sbraccia, P., D'Adamo, M., Leonetti, F., Caiola, S., Iozzo, P., Giaccari, A., Buongiorno, A.M., Tamburrano, G. (1996). Chronic primary hyperinsulinaemia is associated with altered insulin receptor mRNA splicing in muscle of patients with insulinoma. *Diabetologia*, **39**: 220-225.

Sottoprogetto 5: Basi molecolari delle neoplasie e dello sviluppo

Carè, A., Silvani, A., Meccia, E., Mattia, G., Stoppacciaro, A., Parmiani, G., Peschle, C., Colombo, M. (1996). HOXB7 constitutively activates basic fibroblast growth factor in melanomas. *Mol. Cell. Biol.*, **16** (9): 4842-4851.

Condorelli, G.L., Facchiano, F., Valtieri, M., Proietti, E., Vitelli, L., Lulli, V., Huebner, K., Peschle, C., Croce, C.M. (1996). T-cell directed *TAL-1* expression induces T-cell malignancies in transgenic mice. *Cancer Res.*, **56**: 5113-5119.

Grignani, Fr., Testa, U., Rogaia, D., Ferrucci, P.F., Samoggia, P., Pinto, A., Aldinucci, D., Gelmetti, V., Fagioli, M., Alcalay, M., Seeler, J., Grignani, F., Nicoletti, I., Peschle, C., Pelicci, P.G. (1996). Effects on differentiation by the promyelocytic leukemia PML/RAR α protein depend on the fusion of the PML protein dimerization and RAR α DNA bindings domains. *EMBO J.*, **15** (18): 4949-4958.

Parolini, I., Sargiacomo, M., Lisanti, M.P., Peschle, C. (1996). Signal transduction and glycoposphatidylinositol-linked proteins (LYN, LCK, CD4, CD45 G proteins, and CD55) selectively localize in triton-insoluble plasma membrane domains of human leukemic cell lines and normal granulocytes. *Blood*, **87** (9): 3783-3794.

Podo, F., Ferretti, A., Knijn, A., Zhang, P., Ramoni, C., Barletta, B., Pini, C., Baccarini, S., Pulciani, S. (1996). Detection of phosphatidylcholine-specific phospholipase C in NIH-3T3 fibroblasts and their H-ras transformants: NMR and immunochemical studies. *Anticancer Res.*, **16**: 1399-1412.

Sala, A., Casella, I., Bellon, T., Calabretta, B., Watson, R.J., Peschle, C. (1996). *B-myb* promotes S phase and is a downstream target of the negative regulator p107 in human cells. *J. Biol. Chem.*, **271** (16): 9363-9367.

Sala, A., Casella, I., Grasso, L., Bellon, T., Reed, J.C., Miyashita, T., Peschle, C. (1996). Apoptotic response to oncogenic stimuli: cooperative and antagonist interactions between c-myb and the growth suppressor p53. *Cancer Res.*, **56**: 1991-1996.

Sala, A., De Luca, A., Giordano, A., Peschle, C. (1996). The retinoblastoma family member p107 binds to B-MYB and suppresses its autoregulatory activity. *J. Biol. Chem.*, **271**: 28738-28740.

Santodonato, L., Ferrantini, M., Gabriele, L., Proietti, E., Venditti, M., Musiani, P., Modesti, A., Modica, A., Lupton, S.D., Belardelli, F. (1996). Cure of mice with established metastatic Friend leukemia cell tumors by a combined therapy with tumor cells expressing both interferon- α 1 and *Herpes simplex* thymidine kinase followed by ganciclovir. *Human Gene Ther.*, **7**: 1-10.

Song, K.S., Li, S., Okamoto, T., Quilliam, L.A., Sargiacomo, M., Lisanti, M.P. (1996). Co-purification and direct interaction of Ras with caveolin, an integral membrane protein of caveolae microdomains. Detergent-free purification of caveolae membranes. *J. Biol. Chem.*, **271**: 9690-9697.

Sottoprogetto 6: Meccanismo di azione di agenti con attività antitumorale

Bagetta, G., Corasaniti, M.T., Malorni, W., Rainaldi, G., Berliocchi, L., Finazzi-Agrò, A., Nisticò, G. (1996). The HIV-1 gp120 causes ultrastructural changes typical of apoptosis in the rat cerebral cortex. *NeuroReport*, **7** (11): 1722-1724.

Belardelli, F., Gresser, I. (1996). The neglected role of type I interferon in the T-cell response: implications for its clinical use. *Immunol. Today*, **17** (8): 369-372.

Bravo, E., Ortu, G., Rivabene, R., Santini, M.T., Cantafora, A. (1996). Probucol reduces hepatic cholesterol secretion in hyperlipidemic Yoshida rats. *Atherosclerosis*, **119**: 223-233.

Bravo, E., Rivabene, R., Bruscalupi, G., Calcabrini, A., Arancia, G., Cantafora, A. (1996). Age-related changes in lipid secretion of perfused livers from male Wistar rats donors. *J. Biochem.*, **119**: 240-245.

Cenacchi, G., Guiducci, G., Pasquinelli, G., Re, M.C., Ramazzotti, E., Furlini, G., Malorni, W., De Luca, M., Martinelli, G.N. (1996). Early ultrastructural changes of human keratinocytes after HIV-1 contact: an *in vitro* study. *Eur. J. Dermatol.*, **6** (3): 213-218.

Ceruti, S., Barbieri, D., Veronese, E., Cattabeni, F., Cossarizza, A., Giammarioli, A.M., Malorni, W., Franceschi, C., Abbracchio, M.P. (1996). Different pathways of apoptosis revealed by 2-chloro-adenosine and deoxy-D-ribose in mammalian astroglial cells. *J. Neurosci. Res.*, **47**.

Fattorossi, A., Ferlini, C. (1996). Valutazione citofluorimetrica del processo apoptotico. In: *Prospettive cliniche dell'apoptosi*. G. Scambia, G. Melino, M. Piacentini, G. Isola, P. Benedetti Panici, S. Mancuso (Eds). Roma, Società Editrice Universo. p. 179-187.

Ferlini, C., Di Cesare, S., Rainaldi, G., Malorni, W., Samoggia, P., Biselli, R., Fattorossi, A. (1996). Flow cytometric analysis of the early phases of apoptosis by cellular and nuclear techniques. *Cytometry*, **24**: 106-115.

Franceschi, C., Grassilli, E., Cossarizza, A., Troiano, L., Barbieri, D., Capri, M., Salvioli, S., Bellesia, E., Salomoni, P., Benatti, F., Guido, M., Tropea, F., Macchioni, S., Monti, D., Rainaldi, G., Malorni, W. (1996). Apoptosi come meccanismo di controllo fisiologico dell'omeostasi tissutale e dell'invecchiamento. In: *Prospettive cliniche dell'apoptosi*. G. Scambia, G. Melino, M. Piacentini, G. Isola, P. Benedetti Panici, S. Mancuso (Eds). Roma, Società Editrice Universo. p. 35-49.

Malorni, W., Giammarioli, A.M., Rainaldi, G. (1996). Aspetti strutturali della sofferenza cellulare, della morte per apoptosi e loro regolazione. In: *Infezioni e resistenze virali e batteriche. Ricerca di farmaci per il morbo di Alzheimer. Apoptosi, una nuova frontiera per il chimico farmaceutico*. XVI Corso avanzato in chimica farmaceutica e Seminario nazionale per Dottorandi "E. Duranti". Urbino, 2-6 luglio 1996. Società Chimica Italiana, Divisione di Chimica Farmaceutica. p. 405-409.

Malorni, W., Matarrese, P., Rivabene, R., Paradisi, S., Donelli, G. (1996). Antioxidant *N*-acetyl-cysteine increasing cell adhesion capability could facilitate the biocompatibility processes. *Biomaterials*, **17** (9): 921-928.

Malorni, W., Rainaldi, G., Straface, E., Rivabene, R., Giammarioli, A.M., Monti, D., Franceschi, C., Donelli, G. (1996). Aspetti ultrastrutturali della sofferenza e della morte cellulare. In: *Prospettive cliniche dell'apoptosi*. G. Scambia, G. Melino, M. Piacentini, G. Isola, P. Benedetti Panici, S. Mancuso (Eds). Roma, Società Editrice Universo. p. 67-83.

Malorni, W., Rainaldi, G., Tritarelli, E., Rivabene, R., Cianfriglia, M., Lehnert, M., Donelli, G., Peschle, C., Testa, U. (1996). Tumor necrosis factor α is a powerful apoptotic inducer in lymphoid leukemic cells expressing the p-170 glycoprotein. *Int. J. Cancer*, **67**: 238-247.

Malorni, W., Straface, E., Donelli, G., Giacomoni, P.U. (1996). UV-induced cytoskeletal damage, surface blebbing and apoptosis are hindered by α -tocopherol in cultured human keratinocytes. *Eur. J. Dermatol.*, **6** (6): 414-420.

Musiani, P., Allione, A., Modica, A., Lollini, P.L., Giovarelli, M., Cavallo, F., Belardelli, F., Forni, G., Modesti, A. (1996). Role of neutrophils and lymphocytes in inhibition of a mouse mammary adenocarcinoma engineered to release IL-2, IL-4, IL-7, IL-10, IFN- α , IFN- γ and TNF- α . *Laboratory Invest.*, **74** (1): 146-157.

Rutella, S., Sica, S., Rumi, C., Martucci, R., Etuk, B., De Stefano, V., Testa, U., Leone, G., Peschle, C. (1996). Hypereosinophilia during 2-chlorodeoxyadenosine treatment for hairy cell leukaemia. *Br. J. Haematol.*, **92**: 426-428.

Santini, M.T., Morelli, G., Fattorossi, A., Malorni, W., Rainaldi, G., Indovina, P.L. (1996). The oxidizing agent menadione induces an increase in the intracellular molecular oxygen concentration in K562 and A431 cells: direct measurement using the new paramagnetic EPR probe fusinite. *Free Radical Biol. Med.*, **20** (7): 915-924.

Sarti, P., Ginobbi, P., D'Agostino, I., Arancia, G., Lendaro, E., Molinari, A., Ippoliti, R., Citro, G. (1996). Liposomal targeting of leukaemia HL60 cells induced by transferrin-receptor endocytosis. *Biotechnol. Appl. Biochem.*, **24**: 269-276.

Tiozzo, R., Monti, D., Straface, E., Capri, M., Croce, M.A., Rainaldi, G., Franceschi, C., Malorni, W. (1996). Antiproliferative activity of 3-aminobenzamide in A431 carcinoma cells is associated to a target effect on cytoskeleton. *Biochem. Biophys. Res. Commun.*, **225** (3): 826-832.

Sottoprogetto 7: Progettazione e valutazione di tecnologie biomediche

Barbaro, V., Bartolini, P., Donato, A., Militello, C. (1996). Cellular phones: hazard for pacemaker patients. In: *Therapies for cardiac arrhythmias in 1996: where we are going?* Proceedings of the Vth Southern symposium on cardiac pacing. Giardini Naxos (Taormina), September 10-14, 1996. E. Adornato (Ed.). Roma, Edizioni Luigi Pozzi. Vol. 1, p. 543-554.

Barbaro, V., Bartolini, P., Donato, A., Militello, C. (1996). Electromagnetic interference of analog cellular telephones with pacemakers. *PACE*, **19** (10): 1410-1418.

Barbaro, V., Bartolini, P., Donato, A., Militello, C. (1996). Interferenze tra telefoni cellulari e pacemaker. Stato dell'arte al 1995. *Cardiostimolazione*, **14** (1): 10-19.

Macellari, V., Giacomozzi, C. (1996). Multistep pressure platform as a stand-alone system for gait assessment. *Med. Biol. Engin. Comput.*, **34** (4): 299-304.

Marano, G., Grigioni, M., Tiburzi, F., Vergari, A., Zanghi, F. (1996). Effects of isoflurane on cardiovascular system and sympatho-vagal balance in New Zealand white rabbits. *J. Cardiovasc. Pharmacol.*, **28** (4): 513-518.

Ortona, E., Margutti, P., De Luca, A., Peters, S.E., Wakefield, A.E., Tamburrini, E., Mencarini, P., Visconti, E., Siracusano, A. (1996). Non specific PCR products using rat-derived *Pneumocystis carinii* dihydrofolate reductase gene-specific primers in DNA amplification of human respiratory samples. *Mol. Cell. Probes*, **10**: 187-190.

Ortona, E., Margutti, P., Riganò, R., Siracusano, A. (1996). Genetic variability in Italian sheep isolates of *Echinococcus granulosus*. *Appl. Parasitol.*, **37**: 205-208.

Pintucci, S., Pintucci, F., Caiazza, S., Cecconi, M. (1996). The Dacron felt colonizable keratoprosthesis: after 15 years. *Eur. J. Ophthalmol.*, **6**: 125-130.

Pintucci, S., Pintucci, F., Cecconi, M., Caiazza, S. (1996). New Dacron tissue colonizable keratoprosthesis: clinical experience. *Ophthalmol. Digest*, **3**: 14-20.

Riganò, R., Profumo, E., Teggi, A., Siracusano, A. (1996). Production of IL-5 and IL-6 by peripheral blood mononuclear cells (PBMC) from patients with *Echinococcus granulosus* infection. *Clin. Exp. Immunol.*, **105**: 456-459.

Santini, M.T., Cametti, C., Indovina, P.L., Morelli, G., Donelli, G. (1996). Polylysine induces changes in membrane electrical properties of K562 cells. *J. Biomed. Materials Res.*, **32**.

Tamburrini, E., Mencarini, P., Visconti, E., De Luca, A., Zolfo, M., Siracusano, A., Ortona, E., Murri, R., Antinori, A. (1996). Imbalance between *Pneumocystis carinii* cysts and trophozoites in bronchoalveolar lavage fluid from patients with pneumocystosis receiving prophylaxis. *J. Med. Microbiol.*, **45**: 146-148.

Tamburrini, E., Mencarini, P., Visconti, E., Zolfo, M., De Luca, A., Siracusano, A., Ortona, E., Wakefield, A.E. (1996). Detection of *Pneumocystis carinii* DNA in blood by PCR is not of value for diagnosis of *P. carinii* pneumonia. *J. Clin. Microbiol.*, **34** (6): 1586-1588.

Torre, M., Di Feo, F., Giacomozzi, C., Macellari, V. (1996). A device for the measurement of malleoli diastasis. *Technol. Health Care*, **3**: 241-249.

Rapporti tecnici:

Barbaro, V., Bartolini, P., Donato, A., Militello, C. (1996). *Sistema Telepass: analisi dei rischi di interferenza elettromagnetica con i pacemaker*. Roma, Istituto Superiore di Sanità. (Rapporti ISTISAN, 96/42). 56 p.

Barbaro, V., Bartolini, P., Donato, A., Militello, C., Polichetti, A., Vecchia, P. (1996). *Varchi magnetici: analisi dei rischi per la salute*. Roma, Istituto Superiore di Sanità. (Rapporti ISTISAN, 96/2). 52 p.

Barbaro, V., Boccanera, G., Daniele, C., Evangelisti, G., Grigioni, M. (1996). *Materiali e metodi per lo studio in vitro dell'elasticità radiale di protesi vascolari*. Roma, Istituto Superiore di Sanità. (Rapporti ISTISAN, 96/31). 33 p.

Bedini, R. (1996). *Prestazioni meccaniche di polimeri per dispositivi cardiovascolari impiantabili*. Roma, Istituto Superiore di Sanità. (Rapporti ISTISAN, 96/14). 16 p.

Bedini, R. (1996). *Prestazioni meccaniche di resine acriliche dentarie*. Roma, Istituto Superiore di Sanità. (Rapporti ISTISAN, 96/13). 18 p.

Grigioni, M., Daniele, C., Boccanera, G., Evangelisti, G. (1996). *Review on prosthetic vessel applications*. Roma, Istituto Superiore di Sanità. (Rapporti ISTISAN, 96/30). 62 p.

Sottoprogetto 8: Biologia e fisiopatologia comportamentale

Alleva, E., Aloe, L., Cirulli, F., Della Seta, D., Tirassa, P. (1996). Serum NGF levels increase during lactation and following maternal aggression in mice. *Physiol. Behav.*, **59** (3): 461-466.

Alleva, E., Cirulli, F. (1996). Mast cell activation upon psychosocial stress and NGF release in rodents and humans. In: *Discussions on future directions in psychoneuroimmunology and cancer*. Proceedings of the 15. International symposium on cancer; Foundation of the Sapporo cancer seminar "Psychoneuroimmunology and cancer - from basic research to clinical trial". Sapporo (Japan), July 5-8, 1995. F. Sendo, R.B. Herberman (Eds). Niigata (Japan), Nishimura. p. 64-67.

Alleva, E., Della Seta, D., Cirulli, F., Aloe, L. (1996). Haloperidol treatment decreases nerve growth factor levels in the hypothalamus of adult mice. *Prog. Neuro-Psychopharmacol. Biol. Psychiatr.*, **20**: 483-489.

Alleva, E., Petrucci, S., Cirulli, F., Aloe, L. (1996). NGF regulatory role in stress and coping of rodents and humans. *Pharmacol. Biochem. Behav.*, **54** (1): 65-72.

Aloe, L., Tuveri, M.A., Guerra, G., Pinna, L., Tirassa, P., Micera, A., Alleva, E. (1996). Changes in human plasma nerve growth factor level after chronic alcohol consumption and withdrawal. *Alcohol. Clin. Exp. Res.*, **20** (3): 462-465.

Bernardi, F., Marchetti, G., Pinotti, M., Arcieri, P., Baroncini, C., Papacchini, M., Zeponi, E., Ursicino, N., Chiarotti, F., Mariani, G. (1996). Factor VII gene polymorphisms contribute about one third of the factor VII level variation in plasma. *Arterioscler. Thromb. Vasc. Biol.*, **16** (1): 72-76.

Bignami, G. (1996). Economical test methods for developmental neurobehavioral toxicity. *Environ. Health Perspect.*, **104** (Suppl. 2): 285-298.

Calamandrei, G., Pennazza, S., Ricceri, L., Valanzano, A. (1996). Neonatal exposure to anti-nerve growth factor antibodies affects exploratory behavior of developing mice in the hole board. *Neurotoxicol. Teratol.*, **18** (2): 141-146.

Calamandrei, G., Ricceri, L., Valanzano, A. (1996). Systemic administration of anti-NGF antibodies to neonatal mice impairs 24-h retention of an inhibitory avoidance task while increasing ChAT immunoreactivity in the medial septum. *Behav. Brain Res.*, **78**: 81-91.

Chiarotti, F., Puopolo, M., Acconcia, M.C. (1996). Mathematical models and statistics. In: *Myocardial contrast echocardiography in cardiology and cardiac surgery*. P. Voci, Q. Caretta (Eds). Roma, CEPI. p. 41-70.

Cirulli, F., Terranova, M.L., Laviola, G. (1996). Affiliation in periadolescent rats: behavioral and corticosterone response to social reunion with familiar or unfamiliar partners. *Pharmacol. Biochem. Behav.*, **54** (1): 99-105.

Cuomo, V., De Salvia, M.A., Petruzzi, S., Alleva, E. (1996). Appropriate end points for the characterization of behavioral changes in developmental toxicology. *Environ. Health Perspect.*, **104** (Suppl. 2): 307-315.

Fiore, M., Probert, L., Kollias, G., Akassoglou, K., Alleva, E., Aloe, L. (1996). Neurobehavioral alterations in developing transgenic mice expressing TNF- α in the brain. *Brain Behav. Immun.*, **10**: 126-138.

Ghirardini, A., Puopolo, M., Chiarotti, F., Mariani, G., and the participants in the International Immune Tolerance Study Group (ITSG). (1996). The international registry of immune tolerance: 1994 update. *Vox Sang.*, **70** (Suppl. 1): 42-46.

Holtzman, D.M., Santucci, D., Kilbridge, J., Chua-Couzens, J.C., Fontana, D.J., Daniels, S.E., Johnson, R.M., Chen, K., Sun, Y., Carlson, E., Alleva, E., Epstein, C.J., Mobley, W.C. (1996). Developmental abnormalities and age-related neurodegeneration in a mouse model of Down syndrome. *Proc. Natl Acad. Sci. USA*, **93**: 13333-13338.

Kulig, B., Alleva, E., Bignami, G., Cohn, J., Cory-Slechta, D., Landa, V., O'Donoghue, J., Peakall, D. (1996). Animal behavioral methods in neurotoxicity assessment: SGOMSEC joint report. *Environ. Health Perspect.*, **104** (Suppl. 2): 193-204.

Laviola, G. (1996). On mouse pups and their lactating dams: behavioral consequences of early exposure to oxazepam and interacting factors. *Pharmacol. Biochem. Behav.*, **55** (4): 459-474.

Loggi, G., Dell'Omo, G., Laviola, G. (1996). Individual differences in response to psychological stress and chlordiazepoxide in adult mice: relations with changes in early social milieu. *Psychobiology*, **24** (2): 147-153.