

- Obrocki J, Buchert R, Vaterlein O, Thomasius R, Beyer W, Schiemann T Ecstasy--long-term effects on the human central nervous system revealed by positron emission tomography. *Br J Psychiat*. 1999 Aug;175:186-8
 - Alciati A, Scaramelli B, Fusi A, Butteri E, Cattaneo ML, Mellado C Three cases of delirium after "ecstasy" ingestion. *J Psychoact. Drugs* 1999 Apr-Jun;31(2):167-70
 - Bailly D Neuropsychiatric disorders induced by MDMA. *Encephale* 1999 Nov-Dec;25(6):595-602
 - Pacifici R, Zuccaro P, Farre M, Pichini S, Di Carlo S, Roset PN, Ortuno J,
 - Segura J, de la Torre R Immunomodulating properties of MDMA alone and in combination with alcohol: a pilot study. *Life Sci* 1999;65(26):PL309-16
 - Laviola G, Adriani W, Terranova ML, Gerra G Psychobiological risk factors for vulnerability to psychostimulants in human adolescents and animal models. *Neurosci Biobehav Rev* 1999 Nov;23(7):993-1010
 - McElhatton PR, Bateman DN, Evans C, Pughe KR, Thomas SH Congenital anomalies after prenatal ecstasy exposure. *Lancet* 1999 Oct 23;354(9188):1441-2
 - Galliot-Guilley M, Sueur C, Lebeau B, Fompeydie D, Benezech A, Bazard JP Ecstasy and its "counterparts". *Presse Med* 1999 Feb 20;28(7):358-62
 - Christophersen AS Amphetamine designer drugs - an overview and epidemiology. *Toxicol Lett* 2000 Mar 15;112-113:127-31
- Cocaina**
- Barrot M, Marinelli M, Abrous DN, Rouge-Pont F, Le Moal M, Piazza PV The dopaminergic hyper-responsiveness of the shell of the nucleus accumbens is hormone-dependent. *Eur J Neurosci* 2000 Mar;12(3):973-979
 - Lin Z, Itokawa M, Uhl GR Dopamine transporter proline mutations influence dopamine uptake, cocaine analog recognition, and expression. *FASEB J* 2000 Apr;14(5):715-28
 - Volkow ND, Fowler JS Addiction, a disease of compulsion and drive: involvement of the orbitofrontal cortex. *Cereb Cortex* 2000 Mar;10(3):318-25
 - Stewart J Pathways to relapse: the neurobiology of drug- and stress-induced relapse to drug-taking. *J Psychiatry Neurosci* 2000 Mar;25(2):125-36
 - Volkow ND, Wang GJ, Fowler JS, Franceschi D, Thanos PK, Wong C, Gattley SJ, Ding YS, Molina P, Schlyer D, Alexoff D, Hitzemann R, Pappas N Cocaine abusers show a blunted response to alcohol intoxication in limbic brain regions. *Life Sci* 2000 Feb 11;66(12):PL161-7
 - Kantak KM, Collins SL, Lipman EG, Bond J, Giovanoni K, Fox BS Evaluation of anti-cocaine antibodies and a cocaine vaccine in a rat self-administration model. *Psychopharmacology (Berl)* 2000 Feb;148(3):251-62
 - Petrakis IL, Carroll KM, Nich C, Gordon LT, McCance-Katz EF, Frankforter T, Rounsaville BJ Disulfiram treatment for cocaine dependence in methadone-maintained opioid addicts. *Addiction* 2000 Feb;95(2):219-28
 - McDowell DM, Levin FR, Seracini AM, Nunes EV Venlafaxine treatment of cocaine abusers with depressive disorders. *Am J Drug Alcohol Ab.* 2000 Feb;26(1):25-31
 - Higgins ST, Wong CJ, Badger GJ, Ogden DE, Dantona RL Contingent reinforcement increases cocaine abstinence during outpatient treatment and 1 year of follow-up. *J Consult Clin Psychol* 2000 Feb;68(1):64-72
 - Potter SM, Zelazo PR, Stack DM, Papageorgiou AN Adverse effects of fetal cocaine exposure on neonatal auditory information processing. *Pediatrics* 2000 Mar;105(3):E40
 - Vorhees CV, Inman-Wood SL, Morford LL, Reed TM, Moran MS, Pu C, Cappon GD Evaluation of neonatal exposure to cocaine on learning, activity, startle, scent marking, immobility, and plasma cocaine concentrations. *Neurotoxicol Teratol* 2000 Mar 1;22(2):255-265
 - Hoffman JA, Klein H, Eber M, Crosby H Frequency and intensity of crack use as predictors of women's involvement in HIV-related sexual risk behaviors. *Drug Alcohol Depend* 2000 Mar 1;58(3):227-36

- Grunbaum JA, Tortolero S, Weller N, Gingiss P Cultural, social, and intrapersonal factors associated with substance use among alternative high school students. *Addict Behav* 2000 Jan-Feb;25(1):145-51

Alcool

- Finn PR, Sharkansky EJ, Brandt KM, Turcotte N The effects of familial risk, personality, and expectancies on alcohol use and abuse. *J Abnorm Psychol* 2000 Feb;109(1):122-33
- Pastino GM, Flynn EJ, Sultatos LG Genetic polymorphisms in ethanol metabolism: issues and goals for physiologically based pharmacokinetic modeling. *Drug Chem Toxicol* 2000 Feb;23(1):179-201
- Johnson TJ, Cropsey KL Sensation seeking and drinking game participation in heavy-drinking college students. *Addict Behav* 2000 Jan-Feb;25(1):109-16
- Liraud F, Verdoux H Which temperamental characteristics are associated with substance use in subjects with psychotic and mood disorders? *Psychiatry Res* 2000 Feb 14;93(1):63-72
- Waldman ID, Slutske WS Antisocial behavior and alcoholism: a behavioral genetic perspective on comorbidity. *Clin Psychol Rev* 2000 Mar;20(2):255-87
- Kushner MG, Abrams K, Borchardt C The relationship between anxiety disorders and alcohol use disorders: a review of major perspectives and findings. *Clin Psychol Rev* 2000 Mar;20(2):149-71
- Coker AL, Smith PH, McKeown RE, King MJ Frequency and correlates of intimate partner violence by type: physical, sexual, and psychological battering. *Am J Public Health* 2000 Apr;90(4):553-9
- Rossow I, Pape H, Wichstrom L Young, wet wild? Associations between alcohol intoxication and violent behaviour in adolescence. *Addiction* 1999 Jul;94(7):1017-31
- McCutcheon AD Neurological damage and duodenopancreatic reflux in the pathogenesis of alcoholic pancreatitis. *Arch Surg* 2000 Mar;135(3):278-85
- Brown SA, Tapert SF, Granholm E, Delis DC Neurocognitive functioning of adolescents: effects of protracted alcohol use. *Alcohol Clin Exp Res* 2000 Feb;24(2):164-71
- Simons J, Correia CJ, Carey KB A comparison of motives for marijuana and alcohol use among experienced users. *Addict Behav* 2000 Jan-Feb;25(1):153-60
- Magura S, Rosenblum A Modulating effect of alcohol use on cocaine use. *Addict Behav* 2000 Jan-Feb;25(1):117-22
- Furr CD, Delva J, Anthony JC The suspected association between methamphetamine ('ice') smoking and frequent episodes of alcohol intoxication: data from the 1993 national household survey on drug abuse. *Drug Alcohol Depend* 2000 Apr 1;59(1):89-93
- Foster RH, McClellan KJ Acamprosate. Pharmacoeconomic implications of therapy. *Pharmacoeconomics* 1999 Dec;16(6):743-55
- Fiellin DA, Reid MC, O'Connor PG New therapies for alcohol problems: application to primary care. *Am J Med* 2000 Feb 15;108(3):227-37
- Bisaga A, Popik P In search of a new pharmacological treatment for drug and alcohol addiction: N-methyl-D-aspartate (NMDA) antagonists. *Drug Alcohol Depend* 2000 Apr 1;59(1):1-15
- Soyka M, Horak M Ambulatory detoxification of alcoholic patients—evaluation of a model Project. *Gesundheitswesen* 2000 Jan;62(1):15-20
- Rittmannsberger H, Silberbauer C, Lehner R, Ruschak M Alcohol Consumption during Methadone Maintenance Treatment. *Eur Add. Res* 2000 Mar;6(1):2-7
- Ojesjo L, Hagnell O, Otterbeck L The course of alcoholism among men in the Lundby Longitudinal Study, Sweden. *J Stud Alcohol* 2000 Mar;61(2):320-2

LSD

- Aghajanian GK, Marek GJ Serotonin model of schizophrenia: emerging role of glutamate mechanisms. *Brain Res Brain Res Rev* 2000 Mar;31(2-3):302-12
- Sigurdh J, Spigset O, Allard P, Mjorndal T, Hagglof B Binding of [(3)H]lysergic acid diethylamide to serotonin 5-HT(2A) receptors and of [(3)H]paroxetine to serotonin uptake sites in platelets from healthy children,

adolescents and adults. *Neuropsychobiology* 1999 Nov;40(4):183-7

- Backstrom JR, Chang MS, Chu H, Niswender CM, Sanders-Bush E Agonist-directed signaling of serotonin 5-HT_{2C} receptors: differences between serotonin and lysergic acid diethylamide (LSD). *Neuropsychopharmacology* 1999 Aug;21(2 Suppl):77S-81S

- Arvanov VL, Liang X, Russo A, Wang RY LSD and DOB: interaction with 5-HT_{2A} receptors to inhibit NMDA receptor-mediated transmission in the rat prefrontal cortex. *Eur J Neurosci* 1999 Sep;11(9):3064-72

- Erdtmann-Vourliotis M, Mayer P, Riechert U, Holtt V Acute injection of drugs with low addictive potential (delta(9)-tetrahydrocannabinol, 3,4 methylenedioxymethamphetamine, lysergic acid diethylamide) causes a much higher c-fos expression in limbic brain areas than highly addicting drugs (cocaine and morphine).

- Batzer W, Ditzler T, Brown C LSD use and flashbacks in alcoholic patients. *J Addict Dis* 1999;18(2):57-63

- Halpern JH, Pope HG Jr Do hallucinogens cause residual neuropsychological toxicity? *Drug Alcohol Depend* 1999 Feb 1;53(3):247-56

- Winter JC, Helsley S, Fiorella D, Rabin RA The acute effects of monoamine reuptake inhibitors on the stimulus effects of hallucinogens. *Pharmacol Biochem Behav* 1999 Jul;63(3):507-13

- Kindlundh AM, Isacson DG, Berglund L, Nyberg F Factors associated with adolescent use of doping agents: anabolic-androgenic steroids. *Addiction* 1999 Apr;94(4):543-53

- Rickert VI, Wiemann CM, Berenson AB Prevalence, patterns, and correlates of voluntary flunitrazepam Use. *Pediatrics* 1999 Jan;103(1):E6

Amfetamine

- Kaye S, Darke S A comparison of the harms associated with the injection of heroin and amphetamines. *Drug Alcohol Depend* 2000 Feb 1;58(1-2):189-95

- Hedetoft C, Christensen HR Amphetamine, ecstasy and cocaine. Clinical aspects of acute poisoning. *Ugeskr Laeger* 1999 Dec 13;161(50):6907-11

- Chaudhuri C, Salahudeen AK Massive intracerebral hemorrhage in an amphetamine addict. *Am J Med Sci* 1999 May;317(5):350-2

- Aanonsen NO Central nervous system stimulants and their potential risk of abuse in hyperkinetic disorders. *Tidsskr Nor Laegeforen* 1999 Nov 10;119(27):4040-2

- Hutchison KE, Wood MD, Swift R Personality factors moderate subjective and psychophysiological responses to d-amphetamine in humans. *Exp Clin Psychopharmacol* 1999 Nov;7(4):493-501

- Light GA, Malaspina D, Geyer MA, Luber BM, Coleman EA, Sackeim HA, Braff DL Amphetamine disrupts P50 suppression in normal subjects. *Biol Psychiatry* 1999 Oct 1;46(7):990-6

- Pifl C, Agneter E, Drobny H, Sitte HH, Singer EA Amphetamine reverses or blocks the operation of the human noradrenaline transporter depending on its concentration: superfusion studies on transfected cells. *Neuropharmacology* 1999 Jan;38(1):157-65

- Ramamoorthy S, Blakely RD Phosphorylation and sequestration of serotonin transporters differentially modulated by psychostimulants. *Science* 1999 Jul 30;285(5428):763-6

- Spitzmaul GF, Esandi MC, Bouzat C Amphetamine acts as a channel blocker of the acetylcholine receptor. *Neuroreport* 1999 Jul 13;10(10):2175-81

Eraina

- Lorenzi P, Marsili M, Boncinelli S, Fabbri LP, Fontanari P, Zom AM, Mannaioni

- PF, Masini E Searching for a general anaesthesia protocol for rapid detoxification from opioids. *Eur J Anaesthesiol* 1999 Oct;16(10):719-27

- Gerra G, Zaimovic A, Rustichelli P, Fontanesi B, Zambelli U, Timpano M, Bocchi C, Delsignore R Rapid opiate detoxication in outpatient treatment: relationship with naltrexone compliance. *J Subst Abuse Treat* 2000 Mar;18(2):185-91

- Umbricht A, Montoya ID, Hoover DR, Demuth KL, Chiang CT, Preston KL Naltrexone shortened opioid detoxification with buprenorphine. *Drug Alcohol Depend* 1999 Oct 1;56(3):181-90
- Mannelli P, De Risio S, Pozzi G, Janiri L, De Giacomo M Serendipitous rapid detoxification from opiates: the importance of time-dependent processes. *Addiction* 1999 Apr;94(4):589-91
- Maxwell S, Shinderman M Optimizing response to methadone maintenance treatment: use of higher-dose methadone. *J Psych. Drugs* 1999 Apr-Jun;31(2):95-102
- Fischer G, Gombas W, Eder H, Jagsch R, Petemell A, Stuhlinger G, Pezawas L, Aschauer HN, Kasper S Buprenorphine versus methadone maintenance for the treatment of opioid dependence. *Addiction* 1999 Sep;94(9):1337-47
- Broome KM, Flynn PM, Simpson DD Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. *Health Serv Res* 1999 Aug;34(3):791-806
- Gelkopf M, Bleich A, Hayward R, Bodner G, Adelson M Characteristics of benzodiazepine abuse in methadone maintenance treatment patients: a 1 year prospective study in an Israeli clinic. *Drug Alcohol Depend* 1999 Jun 1;55(1-2):63-8
- White JM, Irvine RJ Mechanisms of fatal opioid overdose. *Addiction* 1999 Jul;94(7):961-72
- Catalano RF, Gainey RR, Fleming CB, Haggerty KP, Johnson NO An experimental intervention with families of substance abusers: one-year follow-up of the focus on families project. *Addiction* 1999 Feb;94(2):241-54

Links di maggiore interesse

Istituzioni sopranazionali

UNDCP - "<http://undcp.org/>"

ONU - "<http://www.un.org/>"

WHO - "<http://www.who.ch/>"

ILO - "<http://www.ilo.org/>"

Istituzioni europee

OEDT - "<http://www.emcdda.org/>"

Comunità Europea - "<http://europa.eu.int/index-it.htm>"

Spazio del Cittadino - "<http://europa.eu.int/citizens/>"

Parlamento Europeo - "<http://europa.eu.int/inst/it/ep.htm#intro>"

Consiglio dell'Unione Europea - "<http://ue.eu.int/index.htm>"

Commissione Europea - "<http://europa.eu.int/comm/index.htm>"

Istituzioni italiane

DAS - "<http://www.affarisociali.it/>"

Ministero della Sanità - "<http://www.sanita.it>"

Ministero del Lavoro - "<http://www.minilavoro.it>"

Ministero dell'Interno - "<http://www.mininterno.it>"

Ministero di Grazia e Giustizia - "<http://www.giustizia.it>"

Istituto Superiore della Sanità - "<http://www.iss.it/>"

Siti italiani d'interesse tematico

Gruppo Abele - "<http://services.csi.it/~abele/gruppo.htm>"

Federsert - "<http://www.uni.net/federsert>"

Itaca Italia - "<http://www.itacaitalia.it>"

CeIS - "<http://www.ceis.it/>"

FICT - Federazione Italiana Comunità Terapeutiche - "<http://www.fict.it/>"

Fondazione Villa Maraini - "<http://www.fcn.net/maraini/>"

San Patrignano - "<http://www.sanpatrignano.org/>"

Ser.T. di Cesena - "<http://www.delfo.forli-cesena.it/AUSLCesena/ser/>"

La nuova pagina Web di Riccardo C. Gatti - "<http://www.droga.net/>"

Medicina delle tossicodipendenze - "<http://vol.it/it/scienza/medicina/poliscienze/cov-meds.htm>"

Associazione Genitori della Comunità Incontro - "<http://www.zen.it/agci>"

CORA - Coordinamento Radicale Antiproibizionista - "<http://www.agora.stm.it/coronet>"

Ser.T. di Padova "Progetto Teseo" - "<http://www.sert2-pd-it.com>"

Osservatorio sulle dipendenze patologiche di Bologna - "<http://www.ossdipbo.org/>"

Centri europei di coordinamento, documentazione e ricerca

National Institute of Public Health, Stockholm - "<http://www.fhinst.se/>"

Institute for Therapy Research - IFT, Munich - "<http://www.ift.de/>"

Scientific Institute of Public Health Louis Pasteur, Bruxelles -

Institute for the Study of Drug Dependence - ISDD, London - "<http://www.isdd.co.uk/>"

French Monitoring Centre for Drugs and Drug Addiction - OFDT, Paris - "<http://www.drogues.gouv.fr/>"

National Plan on Drugs - PNSD, Madrid - "<http://www.mir.es/pnd/index.htm>"

Luxembourgish Information Network on Drugs and Drug Addiction - RELIS, Luxembourg - "<http://www.relis.lu/>"

National Research and Development Centre for Welfare and Health - STAKES, Helsinki - "<http://www.stakes.fi/>"

University Mental Health Research Institute (UMHRI), Athens - "<http://business.hol.gr/~umhri/>"

Trimbos-instituut - Utrecht - "<http://www.trimbos.nl/indexuk.html>"

Institute for Drug Research - Bisdorff, Bremen - "<http://alf.zfn.uni-bremen.de/~bisdorff>"

Centre for Drug Research - CEDRO, Amsterdam - "<http://www.frw.uva.nl/cedro/Welcome.html>"

German Institute for Medical Documentation and Information - DIMDI, Köln - "<http://www.dimdi.de>"

Itaca Europe - "<http://www.itaca-europe.org/>"

Institute for Addiction Research, Zurich - "<http://www.infoset.ch/inst/isf/>"

European Addiction Training Institute (EATI), Amsterdam - "<http://www.eati.org/>"

Europ. Ass. of Libraries & Information Serv. on Alcohol and Other Drugs - "<http://www.geocities.com/HotSprings/Villa/8980/>"

European Centre for Social Welfare Policy and Research, Vienna - "<http://www.euro.centre.org/causa/ec/>"

Toxibase - "<http://www.ofdt.fr/bulletin/toxibase/>"

European Cities on Drug Policy - "<http://www.ecdp.net/> "
Federal Health Monitoring System, Reutlingen - "<http://www.gbe-bund.de/>
European Institute for the Investigation of Risk Factors for Children, IREFREA - "<http://www.irefrea.org> "
ERIT Federation of European Professionals Working in the Field of Drug Abuse - "<http://www.erit.org> "
National Addiction Centre (NAC) , London - "<http://www.iop.kcl.ac.uk/home/depts/psychiat/nac/nac.htm> "
Nordic Council for Alcohol and Drug Research, NAD, Helsinki - "<http://www.kaapeli.fi/nad/> "
Monitoring Centre for Drugs - OGD, Paris - "<http://www.ogd.org>
Scottish Drugs Forum (SDF), Glasgow - "<http://www.sdf.org.uk> "
Scottish Drugs Training Project , Stirling - "<http://www.stlr.ac.uk/sdtp/> "
Drugs and alcohol information YouthNet, London - "<http://www.thesite.org/show?drugs&d>"

Centri extra europei di coordinamento, documentazione e ricerca

National Institute on Drug Abuse (NIDA) - "<http://www.nida.nih.gov>"
Addiction Research Foundation (ARF) Toronto - "<http://www.arf.org>"
Canadian Centre on Substance Abuse, Ottawa - "<http://www.ccsa.ca/>"
Inter-American Drug Abuse Control Commission - CICAD), Washington - "<http://www.cicad.oas.org/>"
National Institute on Alcohol Abuse and Alcoholism (NIAAA), Bethesda - "<http://www.niaaa.nih.gov/>"
Drug Enforcement Administration (DEA) Arlington - "<http://www.usdoj.gov/dea/>"
Cochrane Collaboration - "<http://hiru.mcmaster.ca/cochrane/>"
International Harm Reduction Association - "<http://www.ihra.org.uk/>"
SALIS - Substance Abuse Librarians and Information Specialists - "<http://salis.org/default.htm>"
Alcohol and Alcohol Problems Science Database (ETOH) - "<http://etoh.niaaa.nih.gov/Guide-FR.htm>"
Cork Bibliographic Database - "<http://www.dartmouth.edu/dms/cork/database.html>"
Drugtext - "<http://www.drugtext.nl/> "
Inter-American Drug Inform. System (IADIS)- "http://www.oas.org/EN/PROG/w3/en/information_system/iadis-db-links.htm"
Substance Abuse in the Workplace Database - "<http://www.ccsa.ca/ilotop.htm> "

Distribuzione regionale e per anni del numero di soggetti in trattamento presso i Ser.T.

REGIONE	1995			1996			1997			1998			1999		
	n° Soggetti	Ser.T. ril. (*)	rapp. M/F	n° Soggetti	Ser.T. ril. (*)	rapp. M/F	n° Soggetti	Ser.T. ril. (*)	rapp. M/F	n° Soggetti	Ser.T. ril. (*)	rapp. M/F	n° Soggetti	Ser.T. ril. (*)	rapp. M/F
PIEMONTE	12.723	63	5,0	13.248	63	4,6	13.718	63	5,0	13.083	59	5,0	12.284	59	5,2
VALLE D'AOSTA	289	1	4,9	341	1	4,7	337	1	4,6	338	1	8,7	375	1	4,9
LOMBARDIA	19.309	44	4,9	20.666	44	5,3	19.511	40	5,4	20.868	76	5,3	19.931	59	5,6
PROV.AUT.BOLZANO	304	3	3,8	301	3	4,8	348	3	3,9	962	3	3,8	1.037	4	3,9
PROV.AUT.TRENTO	657	1	3,1	686	1	3,5	509	1	3,6	596	1	3,7	683	1	3,9
VENETO	9.682	35	5,1	10.438	37	5,2	10.589	38	5,2	11.032	37	5,4	10.644	36	5,7
FRIULI V.GIULIA	2.338	6	3,4	2.264	6	3,5	2.421	6	4,0	2.591	6	3,9	2.626	6	3,6
LIGURIA	3.068	3	1,5	2.244	4	3,3	6.138	5	4,6	5.546	5	4,6	4.451	4	4,0
EMILIA ROMAGNA	8.654	41	4,0	8.943	44	4,1	8.787	43	4,2	8.942	43	4,3	9.422	44	4,4
TOSCANA	9.982	37	3,9	9.611	37	4,0	9.243	39	4,5	9.673	38	4,3	10.120	36	4,5
UMBRIA	2.701	11	4,0	2.811	10	4,4	3.102	11	5,0	1.897	8	4,9	2.198	11	4,5
MARCHE	2.614	11	4,8	3.869	14	4,7	3.722	14	5,1	4.110	14	5,0	3.433	11	5,8
LAZIO	11.118	49	5,7	9.864	46	5,5	11.493	45	6,1	11.013	41	6,4	11.345	42	6,7
ABRUZZO	3.443	11	5,9	3.145	11	5,7	3.331	11	6,1	3.171	10	7,3	2.732	9	7,6
MOLISE	461	5	11,1	535	5	12,4	552	5	9,8	534	5	10,1	579	6	7,6
CAMPANIA	9.925	33	11,7	11.625	35	10,4	12.377	38	10,6	11.327	33	14,3	12.828	35	11,0
PUGLIA	11.033	53	11,8	11.539	52	13,0	14.335	58	11,4	13.178	57	11,7	12.255	55	12,5
BASILICATA	796	6	10,1	982	6	10,2	922	6	10,4	893	6	11,4	927	6	11,9
CALABRIA	2.677	12	13,2	3.491	13	15,5	3.322	15	12,6	4.294	15	15,9	3.646	12	14,8
SICILIA	6.896	44	10,1	7.842	45	9,1	8.263	48	9,6	8.103	46	11,3	8.597	46	10,7
SARDEGNA	5.158	12	7,1	5.439	13	7,8	5.198	14	7,8	5.506	14	8,0	4.434	12	8,2
ITALIA	123.828	481	5,5	129.884	490	5,8	138.218	504	6,1	137.657	518	6,3	134.547	495	6,3

(*)=Servizi che hanno fornito informazioni sulle caratteristiche degli soggetti in trattamento

Tav. 2/02

Distribuzione per anni e per classi di età dei soggetti in trattamento presso i Ser.T.

età	1995		1996		1997		1998		1999	
	n° soggetti	%	n° soggetti	%	n° soggetti	%	n° soggetti	%	n° soggetti	%
<15	89	0,1	118	0,1	106	0,1	109	0,1	143	0,1
15-19	3.880	3,1	4.181	3,2	4.530	3,3	4.417	3,2	4.629	3,4
20-24	25.752	20,8	24.820	19,1	24.782	18,0	22.358	16,2	21.452	15,9
25-29	40.550	32,7	40.923	31,5	41.818	30,4	38.717	28,1	35.461	26,4
30-34	32.278	26,1	34.170	26,3	36.625	26,6	37.597	27,3	35.636	26,5
35-39	14.436	11,7	15.823	12,2	18.646	13,5	21.150	15,4	22.516	16,7
>40	6.843	5,5	9.849	7,6	11.711	8,5	13.309	9,7	14.710	10,9
Totale	123.828	100,0	129.884	100,0	138.218	100,4	137.657	100,0	134.547	100,0

Tav. 2/03

Età media dei soggetti in trattamento presso i Ser.T.

	1995		1996		1997		1998		1999	
	Maschi	Femmine	Maschi	Femmine	Maschi	Femmine	Maschi	Femmine	Maschi	Femmine
nuovi soggetti	28,1	28,0	28,0	27,5	28,0	27,6	28,0	27,2	27,8	27,0
già in carico	29,8	29,8	30,3	30,2	28,0	27,2	31,2	31,1	31,3	31,1

Fonte: Ministero della Sanità

XIII LEGISLATURA - DISEGNI DI LEGGE E RELAZIONI - DOCUMENTI

Tav. 2/04

Distribuzione percentuale per Regioni e per sostanze d'abuso primarie dei soggetti
in trattamento presso i Ser.T. - Anni 1998 e 1999

Anno 1998

REGIONE	Eroina	Cannabinoidi	Cocaína	Altro
PIEMONTE	92,9	2,7	2,1	2,2
VALLE D'AOSTA	97,3	0,6	1,2	0,9
LOMBARDIA	86,8	4,8	5,8	2,6
P.A.BOLZANO	79,8	17,7	0,9	1,6
P.A.TRENTO	92,8	2,9	2,1	2,1
VENETO	79,6	10,3	3,2	6,9
FRIULI V.GIULIA	77,9	12,1	1,9	8,1
LIGURIA	83,8	9,7	3,9	2,7
EMILIA ROMAGNA	85,8	6,3	3,5	4,4
TOSCANA	86,5	9,5	2,2	1,8
UMBRIA	88,7	7,1	1,4	2,8
MARCHE	76,0	16,1	2,7	5,2
LAZIO	91,0	4,9	3,1	1,0
ABRUZZO	75,2	9,2	2,9	12,7
MOLISE	80,5	13,2	3,3	3,1
CAMPANIA	81,2	12,7	2,1	4,0
PUGLIA	80,3	8,4	4,8	6,5
BASILICATA	91,4	7,2	1,2	0,2
CALABRIA	81,1	14,0	1,7	3,2
SICILIA	89,4	7,0	1,6	2,0
SARDEGNA	96,9	2,1	0,3	0,8
ITALIA	85,6	7,6	3,2	3,7

Anno 1999

REGIONE	Eroina	Cannabinoidi	Cocaína	Altro
PIEMONTE	93,3	3,4	2,9	0,4
VALLE D'AOSTA	98,7	0,5	0,8	0,0
LOMBARDIA	84,7	7,5	7,1	0,7
P.A.BOLZANO	79,9	18,2	1,9	0,1
P.A.TRENTO	93,3	3,5	3,2	0,0
VENETO	83,3	11,0	4,2	1,5
FRIULI V.GIULIA	84,8	11,2	2,9	1,1
LIGURIA	88,3	7,9	3,3	0,5
EMILIA ROMAGNA	84,5	7,1	5,5	2,8
TOSCANA	86,3	9,7	3,8	0,2
UMBRIA	81,8	13,5	2,7	2,0
MARCHE	79,1	14,3	4,2	2,5
LAZIO	91,7	4,7	3,5	0,1
ABRUZZO	77,3	9,0	3,6	10,1
MOLISE	78,6	14,4	7,0	0,0
CAMPANIA	86,1	10,8	3,1	0,1
PUGLIA	83,6	8,3	7,3	0,8
BASILICATA	88,6	9,3	2,1	0,0
CALABRIA	83,4	13,8	2,6	0,1
SICILIA	86,5	8,9	3,1	1,6
SARDEGNA	96,9	1,9	0,9	0,4
ITALIA	86,5	8,2	4,4	1,0

Tav. 2/05

Distribuzione percentuale per sostanza stupefacente d'abuso dei soggetti in trattamento presso i Ser.T.

Sostanza d'abuso	USO PRIMARIO					USO SECONDARIO				
	1995	1996	1997	1998	1999	1995	1996	1997	1998	1999
ALLUCINOGENI	0,1	0,2	0,2	0,2	0,2	1,0	1,0	0,8	0,8	0,7
AMFETAMINE	0,3	0,4	0,2	0,2	0,3	3,2	3,7	2,3	1,7	1,5
ECTASY E ANALOGHI*	---	---	0,4	0,7	0,9	---	---	2,4	2,4	2,5
BARBITURICI	0,1	0,1	0,0	0,1	0,2	0,9	0,6	0,6	0,5	0,5
BENZODIAZEPINE	0,4	0,5	0,4	0,5	0,6	19,3	17,3	16,2	14,9	13,7
CANNABINOIDI	5,8	5,8	6,9	7,6	7,9	41,5	41,8	40,1	39,2	35,1
COCAINA	1,6	1,8	2,3	3,2	4,2	13,5	13,6	15,1	18,4	20,9
CRACK	0,6	0,5	0,0	0,0	0,0	0,1	0,2	0,1	0,2	0,1
EROINA	89,1	88,8	87,5	85,6	83,8	2,2	3,2	2,1	1,9	2,2
METADONE	0,2	0,3	0,6	0,7	0,5	0,7	0,6	2,4	2,4	2,2
MORFINA	0,5	0,0	0,1	0,0	0,0	0,2	0,2	0,2	0,1	0,1
ALTRI OPPIACEI*	---	---	0,1	0,1	0,4	---	---	0,4	0,6	0,5
INALANTI*	---	---	0,0	0,1	0,1	---	---	0,1	0,1	0,1
ALCOOL**	---	---	---	---	---	14,9	15,0	14,4	15,6	12,9
ALTRO	1,1	1,7	1,3	0,9	1,0	2,5	2,8	2,8	1,4	7,1
Totale	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0

*=Informazioni contenute nei nuovi modelli di rilevazione in vigore dal 1997

**= é rilevato solo l'uso secondario

Tav. 2/06

Distribuzione per Regione e per percentuale di positività ai tests diagnostici effettuati sui soggetti in trattamento presso i Ser.T.

REGIONE	TEST SIEROLOGICO ANTI-HIV: percentuale di test positivi sul totale dei test eseguiti					TEST EPATITE VIRALE B: percentuale di test positivi sul totale dei test eseguiti (*)					TEST EPATITE VIRALE C	
	1995	1996	1997	1998	1999	1995	1996	1997	1998	1999	1998	1999
	(n° 69941 esami)	(n° 73513 esami)	(n° 76096 esami)	(n° 71759 esami)	(n° 66156 esami)	(n° 62955 esami)	(n° 69092 esami)	(n° 68062 esami)	(n° 64629 esami)	(n° 73845 esami)	(n° 72336 esami)	(n° 81817 esami)
PIEMONTE	15,1	14,5	12,9	11,6	12,1	52,5	50,9	52,5	51,6	51,1	68,5	68,3
VALLE D'AOSTA	3,1	11,2	1,2	0,6	1,7	7,4	29,8	43,6	62,2	39,3	86,9	43,0
LOMBARDIA	32,2	29,7	28,2	27,7	25,8	56,1	53,6	54,0	54,0	53,0	71,4	71,2
PROV.AUT.BOLZANO	6,6	7,3	7,3	21,2	7,1	39,6	60,2	43,1	73,5	62,8	93,0	90,9
PROV.AUT.TRENTO	23,4	21,9	20,7	16,2	17,4	5,8	4,8	38,7	35,2	47,0	74,8	85,2
VENETO	14,2	13,1	14,6	12,1	14,2	42,8	49,2	49,9	47,7	48,7	70,5	71,1
FRIULI V.GIULIA	12,2	11,5	8,6	8,4	9,9	51,4	54,3	56,7	59,6	62,9	79,9	77,8
LIGURIA	21,0	34,0	23,4	16,5	14,3	61,8	47,3	37,3	22,8	29,0	77,4	82,7
EMILIA ROMAGNA	26,6	23,2	22,0	28,2	27,3	52,7	47,5	50,0	62,0	63,0	79,8	82,6
TOSCANA	13,7	9,8	11,8	12,2	12,3	37,5	32,3	43,6	45,9	41,9	73,5	70,4
UMBRIA	12,0	10,4	9,6	6,0	5,2	28,3	25,2	27,7	19,1	24,2	74,5	64,0
MARCHE	21,3	16,6	13,8	13,6	14,3	33,4	33,7	25,8	24,8	24,7	65,4	67,9
LAZIO	28,3	24,7	22,5	21,6	20,3	15,1	25,0	40,6	43,3	41,3	65,2	64,8
ABRUZZO	7,2	7,0	5,8	4,7	5,3	35,8	32,2	27,4	33,6	32,5	53,4	50,6
MOLISE	3,4	3,0	4,0	4,0	6,3	23,4	32,9	28,6	38,1	33,5	69,2	66,5
CAMPANIA	4,4	3,3	3,4	3,8	2,0	39,1	44,4	35,7	34,5	33,8	51,5	45,1
PUGLIA	11,2	9,2	8,0	13,4	8,4	41,0	37,3	36,2	42,0	48,0	60,3	63,8
BASILICATA	13,1	14,5	10,7	13,7	10,9	32,1	33,8	39,2	39,2	26,1	66,0	67,4
CALABRIA	10,5	8,4	9,0	6,2	6,0	36,9	48,9	30,6	33,8	36,6	58,6	61,2
SICILIA	11,3	6,5	7,8	7,1	9,4	38,8	29,0	25,5	33,1	28,8	65,0	60,9
SARDEGNA	22,2	20,9	20,1	21,7	26,2	46,5	41,2	49,8	49,2	57,0	72,0	82,6
ITALIA	19,4	16,9	15,7	16,2	15,0	44,1	43,8	43,6	45,3	45,9	67,6	67,4

(*)= la percentuale di positività è calcolata sul totale dei tests eseguiti

Tav. 2/07

Percentuale di positività al test sierologico anti HIV dei soggetti in trattamento presso i Ser.T.

anno	Nuovi Utenti		Già in carico	
	maschi	femmine	maschi	femmine
1995	9,5	17,3	20,8	29,3
1996	6,4	11,7	18,4	26,8
1997	6,2	9,6	16,6	25,6
1998	6,1	9,8	16,9	26,2
1999	5,5	7,6	15,7	24,7

Tav. 2/08

Percentuale di soggetti in trattamento presso i Ser.T. per condizione rispetto all'infezione del virus dell'Epatite B

Anni 1998 e 1999

	Nuovi Utenti				Già in carico			
	1998		1999		1998		1999	
	maschi	femmine	maschi	femmine	maschi	femmine	maschi	femmine
Soggetti testati risultati positivi *	10,7	11,5	10,2	10,6	25,4	25,1	25,0	25,7
Soggetti testati risultati negativi	26,5	31,3	27,2	31,2	26,8	24,7	25,1	25,5
Soggetti vaccinati	5,1	6,4	5,2	9,0	6,8	7,6	7,7	8,9
Soggetti che non hanno eseguito il test **	31,4	26,9	32,1	30,0	26,9	26,7	27,2	26,7
Soggetti per i quali non è disponibile il dato sull'infezione	26,4	24	25,3	19,3	14,1	16	15,1	13,3

Tav. 2/09

Percentuale di soggetti in trattamento presso i Ser.T. positivi al test del virus dell'Epatite C

Anni 1998 e 1999

anno	Nuovi Utenti		Già in carico	
	maschi	femmine	maschi	femmine
1998	45,9	43,5	71,9	74,7
1999	42,3	42,5	72,0	74,9

Tav. 2/10

Tipologie di trattamento dei soggetti in carico ai Ser.T.
Anni 1998 e 1999

Tipologie di trattamento	% soggetti trattati (*)							
	nei Ser.T.		nelle strutture riabilitative		in carcere		Totale 1998	Totale 1999
	1998	1999	1998	1999	1998	1999		
1) Psico-sociale e/o riabilitativo	26,2	25,4	5,6	5,4	4,4	4,3	36,2	35,1
2) Farmacologico								
a) Metadone								
breve termine (<=30 gg.)	9,3	8,3	0,6	0,8	1,4	1,2	11,3	10,3
medio termine (30gg.-6 mesi)	11	10,9	0,4	0,5	0,3	0,6	11,7	12
lungo termine (>6 mesi)	24,4	27	0,3	0,4	0,3	0,3	25	27,6
b) naltrexone	5	4,4	0,1	0,1	0	0	5,1	4,6
c) clonidina	3,2	2,6	0	0	0	0	3,2	2,6
d) altri farmaci non sostitutivi	6,8	6,6	0,3	0,3	0,4	0,8	7,5	7,7
Totale	85,9	85,2	7,3	7,5	6,8	7,3	100	100

*=Percentuali calcolate sul totale dei soggetti trattati

Tav. 2/11

Tipologie di trattamento psico-sociale e/o riabilitativo dei soggetti in carico ai Ser.T.
Anni 1998 e 1999

Tipologie di trattamento	% soggetti trattati (*)							Totale 1998	Totale 1999
	nei Ser.T.		nelle strutture riabilitative		in carcere				
	1998	1999	1998	1999	1998	1999			
a) Sostegno psicologico	27,2	26	3,9	3,6	3,3	3,3	34,4	32,9	
b) Psicoterapia	10	10,3	0,9	0,9	0,3	0,4	11,2	11,6	
c) Interventi di servizio sociale	40,2	41,5	7	6,9	7,2	7	54,4	55,5	
Totale	77,4	77,8	11,8	11,5	10,8	10,8	100	100	

*=Percentuali calcolate sul totale dei soggetti trattati con programmi di tipo psicosociale e/o riabilitativo

Tav. 2/12

Tipologie di trattamento dei soggetti in carico ai Ser.T. nel periodo 1995~1999

TIPOLOGIE	% SOGGETTI TRATTATI				
	1995	1996	1997	1998	1999
1) PSICO-SOCIALE E/O RIABILITATIVO	35,8	36,5	37,8	36,2	35,1
2) FARMACOLOGICO					
a) metadone:	43,0	43,0	47,2	48,0	49,9
breve termine (<=60 gg)*	17,5	15,7	-	-	-
protratto (>60 gg)*	25,5	27,3	-	-	-
breve termine (<=30gg)**	-	-	12,0	11,3	10,3
medio termine (tra 30 gg e 6 mesi)**	-	-	10,8	11,7	12,0
lungo termine (>6 mesi)**	-	-	24,4	25,0	27,6
b) naltrexone	6,7	6,8	5,8	5,1	4,6
c) clonidina	4,0	3,8	3,2	3,2	2,6
d) altri farmaci	10,5	9,9	6,0	7,5	7,8

*=Tipologia di trattamento metadonico rilevata fino al 1996 (D.M. 3 ottobre 1991)

*=Tipologia di trattamento metadonico rilevata nel 1997 (D.M. 20 settembre 1997)

Fonte: Ministero della Sanità

Tav. 2/13
DATI RELATIVI AI SEGNALATI AI SENSI DELL'ARTICOLO 75 T.U. N° 309 - 9 OTTOBRE 1990

DAL 11 LUGLIO 1990 AL 31 DICEMBRE 1999
(PERIODO DI RIFERIMENTO)

DATA ELABORAZIONE 10 aprile 2000

REGIONI	1 - PERSONE SEGNALATE								2 - SEGNALAZIONI							3 - PROVVEDIMENTI														
	MASCHI				FEMMINE				TOTALE											Totale Collo- qui (3)	Form Invito (C. 2)	Rich. Progr Terap (C. 9)	CONVOCAZIONI			SANZIONI AMMINIS.			Arch Atti (C. 11)	Trasm Atti (C. 12)
	Persone Segnal.	Dicul Minori (1)	Persone Segnal Minori (1)	Dicul Minori (1)	Persone Segnal Minori (1)	Dicul Minori (1)	Con 1 laz. (2)	Con + Segn. (2)	Sost. Legg. Masc	Sost. Legg. Femm	Sost. Pes. Masc	Sost. Pes. Femm	Pes. + Legg Masc	Pes. + Legg Femm	Totale	(c. 12)			(C. 1)											
																Con	Senza	Totale	Con				Senza	Totale						
Piemonte	17732	1175	1561	110	19293	1285	15728	3567	12557	776	9459	1113	413	37	24355	19431	8591	5935	1335	139	1474	3570	2062	5632	2857	222				
Valle D'Aosta	928	47	87	2	1015	49	908	107	828	69	179	33	19	0	1128	1062	515	178	31	7	38	338	56	394	64	6				
Lombardia	34313	2757	2447	249	36760	3006	31757	5003	24790	1299	14930	1437	843	70	43369	32234	14047	7524	1600	69	1669	9063	1023	10086	4808	525				
Trento A A	3000	196	319	24	3319	220	2928	391	2414	186	891	172	110	14	3787	2880	1622	720	219	52	271	319	738	1057	365	63				
Veneto	9877	705	829	68	10706	773	9419	1287	6687	332	4456	626	255	29	12385	11885	4383	3943	1075	60	1135	2484	406	2890	1710	249				
Friuli V G	3698	176	258	22	3954	198	3564	390	3291	137	843	152	80	13	4518	3802	2103	1015	193	12	205	491	264	755	460	74				
Liguria	12546	790	1289	83	13835	873	10970	2865	9824	728	6313	904	279	22	18070	14193	6330	5168	1094	14	1108	1601	2259	3860	2004	369				
Emilia Romagna	16690	1180	1511	106	18201	1286	15465	2736	12671	782	6797	1025	610	53	21938	17118	8298	4990	1395	340	1735	2435	1890	4325	2558	311				
Toscana	22905	1669	2373	168	25278	1837	20982	4296	19150	1452	9200	1458	778	95	32133	27296	13194	7617	1995	315	2310	4490	767	5257	3847	320				
Umbria	3211	197	271	17	3482	214	2974	508	2422	135	1275	170	129	13	4144	3896	1650	1360	295	12	307	591	136	727	810	33				
Marche	6933	561	606	50	7539	611	6399	1140	5888	387	2341	295	246	18	9175	8878	4494	2753	736	68	804	895	699	1594	1611	126				
Lazio	28296	1933	1775	101	30071	2034	25987	4084	24863	1139	7486	745	811	60	35104	24395	12238	4366	763	44	807	7028	619	7647	2075	112				
Abruzzi	4631	322	275	18	4906	340	4183	723	3729	159	1734	156	80	3	5861	5541	2922	1633	386	100	486	600	474	1074	644	46				
Molise	778	68	23	2	801	68	705	96	667	13	217	12	21	2	932	907	492	278	63	7	70	74	52	126	149	18				
Campania	18480	1722	512	35	18992	1757	16827	2165	13505	253	7382	315	163	5	21623	14377	8273	4775	701	285	986	628	2994	3622	1947	78				
Puglie	10790	1041	452	45	11242	1086	9809	1433	7606	188	4632	326	190	8	12950	9086	3601	3213	827	103	930	1445	1410	2855	1091	201				
Basilicata	1662	210	50	5	1712	215	1453	259	1501	35	440	19	23	1	2019	2005	1073	611	92	0	92	229	60	289	316	35				
Calabria	5675	645	166	9	5841	654	5156	685	5392	119	1105	55	69	4	6744	5616	3269	1722	175	7	182	450	298	748	1103	18				
Sicilia	18223	2271	830	89	19053	2360	16089	2964	16910	576	5080	386	191	20	23163	17156	9935	4006	1048	36	1084	2167	1569	3736	1561	329				
Sardegna	6819	473	350	22	7169	495	6330	839	5338	224	2288	155	224	12	8241	4890	2552	1596	330	41	371	412	651	1063	442	49				
TOTALE ITALIA	227187	18136	15982	1225	243169	19361	207633	35538	180033	8989	87048	9554	5534	479	291637	226648	109582	63403	14353	1711	16064	39310	18427	57737	30422	3184				

(1) RISULTANTI ALLA DATA DEL FATTO (1 - SEGNALAZIONE)

(2) PERSONE SEGNALATE ALTRE VOLTE - OLTRE LA 1 - NEL PERIODO DI RIFERIMENTO.
FINO AL 5/6/1993 ERA PREVISTO UN LIMITE MASSIMO DI 3 SEGNALAZIONI (REFERENDUM D.P.R. N° 171/93)

(3) NEL TOTALE COLLOQUI SONO INDICATI I CASI DI:
FORMALE INVITO (COMMA 2), RICHIESTA PROGRAMMA TERAPEUTICO (COMMA 9),
CONVOCAZIONE (COMMA 12) E SANZIONE AMMINISTRATIVA (COMMA 1)

(4) FINO AL 5 GIUGNO 1993 (REFERENDUM D.P.R. N° 171/93)

Fonte: Ministero dell'Interno

Tav. 2/14

Distribuzione delle sostanze usate dalle persone segnalate ai Prefetti ai sensi dell'art.75 D.P.R. 309/90
Dati 1998 e 1999

Sostanze	Maschi		Femmine		Totale	
	1998	1999	1998	1999	1998	1999
Eroina	63.480	67.657	7.554	7.970	71.034	75.627
Metadone	676	799	122	134	798	933
Morfina	289	312	43	44	332	356
Opiacei	2.329	2.549	292	321	2.621	2.870
Cocaina	11.750	14.349	849	1.065	12.599	15.414
Amfetamine	562	652	35	46	597	698
L. S. D.	468	537	46	50	514	587
Ecstasy / M.D.M.A. e analoghi	3.192	3.622	250	289	3.442	3.911
Cannabinoidi	156.254	188.561	7.920	9678	164.174	198.239
Altre Sostanze (*)	1.223	1.654	120	156	1.343	1.810

(*)= La maggior parte delle sostanze inserite in questa categoria appartiene al gruppo delle benzodiazepine.