

TAB. 13

I.V.G. E ABORTI SPONTANEI PRECEDENTI - 1997

REGIONE	0		1		2		3		>=4		DATO NON RIL. O NON ANALIZ.		TOTALE
	N	%*	N	%*	N	%*	N	%*	N	%*	N	%**	
ITALIA SETT.	50688	88.4	5285	9.2	1037	1.8	227	0.4	101	0.2	334	0.6	57672
PIEMONTE	9058	83.0	1355	12.4	355	3.3	96	0.9	53	0.5	319	2.8	11236
V. D'AOSTA	244	89.7	24	8.8	2	0.7	2	0.7	0	0.0	0	0.0	272
LOMBARDIA	19213	90.3	1684	7.9	308	1.4	61	0.3	16	0.1	0	0.0	21282
BOLZANO	457	86.9	62	11.8	7	1.3	0	0.0	0	0.0	0	0.0	526
TRENTO	1020	92.5	69	6.3	14	1.3	0	0.0	0	0.0	0	0.0	1103
VENETO	5399	89.2	525	8.7	102	1.7	26	0.4	3	0.0	6	0.1	6061
FRIULI V.G.	1994	87.6	233	10.2	38	1.7	9	0.4	3	0.1	3	0.1	2280
LIGURIA	3502	88.2	392	9.9	60	1.5	11	0.3	7	0.2	6	0.2	3978
EMILIA ROM.	9801	89.6	941	8.6	151	1.4	22	0.2	19	0.2	0	0.0	10934
ITALIA CEN.	26497	90.0	2409	8.2	413	1.4	72	0.2	46	0.2	497	1.7	29934
TOSCANA	8236	90.1	743	8.1	127	1.4	24	0.3	7	0.1	0	0.0	9137
UMBRIA	2294	90.8	195	7.7	28	1.1	7	0.3	3	0.1	20	0.8	2547
MARCHE	2390	90.3	213	8.0	32	1.2	5	0.2	6	0.2	15	0.6	2661
LAZIO	13577	89.8	1258	8.3	226	1.5	36	0.2	30	0.2	462	3.0	15589
ITALIA MER.	33781	87.9	3536	9.2	802	2.1	198	0.5	93	0.2	1065	2.7	39475
ABRUZZI	2621	87.9	296	9.9	52	1.7	8	0.3	6	0.2	0	0.0	2983
MOLISE	967	88.1	106	9.7	19	1.7	3	0.3	3	0.3	2	0.2	1100
CAMPANIA	11130	87.9	1150	9.1	268	2.1	70	0.6	40	0.3	1051	7.7	13709
PUGLIA	14494	88.5	1447	8.8	326	2.0	87	0.5	27	0.2	11	0.1	16392
BASILICATA	711	84.3	103	12.2	19	2.3	6	0.7	4	0.5	1	0.1	844
CALABRIA	3858	86.8	434	9.8	118	2.7	24	0.5	13	0.3	0	0.0	4447
ITALIA INS.	11344	84.7	1605	12.0	331	2.5	74	0.6	44	0.3	46	0.3	13444
SICILIA	8855	84.3	1266	12.1	279	2.7	60	0.6	38	0.4	46	0.4	10544
SARDEGNA	2489	85.8	339	11.7	52	1.8	14	0.5	6	0.2	0	0.0	2900
ITALIA	122310	88.3	12835	9.3	2583	1.9	571	0.4	284	0.2	1942	1.4	140525

* CALCOLATA SULLA SOMMA DELLE PRIME 5 COLONNE

** CALCOLATA SUL TOTALE

TAB. 14

I.V.G. E ABORTI VOLONTARI PRECEDENTI - 1997

REGIONE	0		1		2		3		>=4		DATO NON RIL. O NON ANALIZ.		TOTALE
	N	%*	N	%*	N	%*	N	%*	N	%*	N	%**	
ITALIA SETT	44320	77.3	9843	17.2	2272	4.0	597	1.0	307	0.5	333	0.6	57672
PIEMONTE	7912	72.5	2145	19.6	604	5.5	158	1.4	98	0.9	319	2.8	11236
V. D'AOSTA	215	79.0	45	16.5	10	3.7	2	0.7	0	0.0	0	0.0	272
LOMBARDIA	16889	79.4	3455	16.2	677	3.2	174	0.8	87	0.4	0	0.0	21282
BOLZANO	405	77.0	93	17.7	19	3.6	8	1.5	1	0.2	0	0.0	526
TRENTO	926	84.0	152	13.8	16	1.5	8	0.7	1	0.1	0	0.0	1103
VENETO	4969	82.1	829	13.7	192	3.2	42	0.7	23	0.4	6	0.1	6061
FRIULI V.G.	1741	76.4	400	17.6	95	4.2	28	1.2	14	0.6	2	0.1	2280
LIGURIA	3027	76.2	727	18.3	155	3.9	40	1.0	23	0.6	6	0.2	3978
EMILIA ROM.	8236	75.3	1997	18.3	504	4.6	137	1.3	60	0.5	0	0.0	10934
ITALIA CEN	22554	76.6	5169	17.6	1214	4.1	327	1.1	173	0.6	497	1.7	29934
TOSCANA	7087	77.6	1516	16.6	371	4.1	110	1.2	53	0.6	0	0.0	9137
UMBRIA	1949	77.1	443	17.5	93	3.7	28	1.1	14	0.6	20	0.8	2547
MARCHE	2107	79.6	396	15.0	101	3.8	29	1.1	13	0.5	15	0.6	2661
LAZIO	11411	75.4	2814	18.6	649	4.3	160	1.1	93	0.6	462	3.0	15589
ITALIA MER	26913	70.1	7215	18.8	2633	6.9	1019	2.7	628	1.6	1067	2.7	39475
ABRUZZI	2319	77.7	477	16.0	124	4.2	37	1.2	26	0.9	0	0.0	2983
MOLISE	855	77.9	179	16.3	48	4.4	12	1.1	4	0.4	2	0.2	1100
CAMPANIA	9338	73.8	2074	16.4	775	6.1	302	2.4	167	1.3	1053	7.7	13709
PUGLIA	10265	62.7	3621	22.1	1475	9.0	614	3.7	406	2.5	11	0.1	16392
BASILICATA	603	71.5	178	21.1	49	5.8	11	1.3	2	0.2	1	0.1	844
CALABRIA	3533	79.4	686	15.4	162	3.6	43	1.0	23	0.5	0	0.0	4447
ITALIA INS	10289	76.8	2259	16.9	605	4.5	156	1.2	89	0.7	46	0.3	13444
SICILIA	7843	74.7	1905	18.1	530	5.0	138	1.3	82	0.8	46	0.4	10544
SARDEGNA	2446	84.3	354	12.2	75	2.6	18	0.6	7	0.2	0	0.0	2900
ITALIA	104076	75.1	24486	17.7	6724	4.9	2099	1.5	1197	0.9	1943	1.4	140525

* CALCOLATA SULLA SOMMA DELLE PRIME 5 COLONNE

** CALCOLATA SUL TOTALE

-TAB. -15

I.V.G. E SETTIMANA DI GESTAZIONE - 1997

REGIONE	<=8		9-10		11-12		13-15		16-20		>=21		DATO NON RIL. O NON ANALIZ.		TOTALE
	N	%*	N	%*	N	%*	N	%*	N	%*	N	%*	N	%**	
ITALIA SETT.	23455	42.7	21784	39.7	8321	15.2	381	0.7	576	1.0	393	0.7	2762	4.8	57672
PIEMONTE	2754	29.9	4538	49.2	1720	18.7	46	0.5	82	0.9	80	0.9	2016	17.9	11236
V. D'AOSTA	127	46.9	108	39.9	36	13.3	0	0.0	0	0.0	0	0.0	1	0.4	272
LOMBARDIA	9110	42.8	8339	39.2	3396	16.0	97	0.5	227	1.1	113	0.5	0	0.0	21282
BOLZANO	212	40.5	177	33.8	110	21.0	3	0.6	10	1.9	12	2.3	2	0.4	526
TRENTO	618	56.0	353	32.0	107	9.7	6	0.5	13	1.2	6	0.5	0	0.0	1103
VENETO	2121	37.0	2342	40.9	1031	18.0	121	2.1	64	1.1	54	0.9	328	5.4	6061
FRIULI V. G	1090	47.9	819	36.0	294	12.9	35	1.5	21	0.9	15	0.7	6	0.3	2280
LIGURIA	1702	45.7	1480	39.7	463	12.4	21	0.6	44	1.2	17	0.5	251	6.3	3978
EMILIA ROM.	5721	53.1	3628	33.7	1164	10.8	52	0.5	115	1.1	96	0.9	158	1.4	10934
ITALIA CEN.	12945	46.0	10850	38.6	3815	13.6	229	0.8	176	0.6	130	0.5	1789	6.0	29934
TOSCANA	4628	55.8	2667	32.1	857	10.3	32	0.4	72	0.9	43	0.5	838	9.2	9137
UMBRIA	1054	48.1	864	39.4	245	11.2	7	0.3	11	0.5	10	0.5	356	14.0	2547
MARCHE	1905	72.0	553	20.9	138	5.2	7	0.3	20	0.8	22	0.8	16	0.6	2661
LAZIO	5358	35.7	6766	45.1	2575	17.2	183	1.2	73	0.5	55	0.4	579	3.7	15589
ITALIA MER.	23163	61.2	11887	31.4	2539	6.7	61	0.2	113	0.3	80	0.2	1632	4.1	39475
ABRUZZI	1863	62.5	833	28.0	268	9.0	1	0.0	4	0.1	10	0.3	4	0.1	2983
MOLISE	692	63.5	328	30.1	67	6.1	0	0.0	2	0.2	1	0.1	10	0.9	1100
CAMPANIA	7556	58.8	4450	34.6	768	6.0	11	0.1	33	0.3	35	0.3	856	6.2	13709
PUGLIA	9627	60.8	5047	31.9	1028	6.5	39	0.2	58	0.4	34	0.2	559	3.4	16392
BASILICATA	488	60.5	242	30.0	75	9.3	2	0.2	0	0.0	0	0.0	37	4.4	844
CALABRIA	2937	68.6	987	23.1	333	7.8	8	0.2	16	0.4	0	0.0	166	3.7	4447
ITALIA INS.	5916	47.7	4864	39.2	1491	12.0	56	0.5	52	0.4	34	0.3	1032	7.7	13444
SICILIA	4987	47.5	4197	40.0	1193	11.4	41	0.4	42	0.4	31	0.3	53	0.5	10544
SARDEGNA	928	48.3	672	35.0	293	15.3	15	0.8	10	0.5	3	0.2	979	33.8	2900
ITALIA	65479	49.1	49385	37.0	16166	12.1	727	0.5	917	0.7	637	0.5	7215	5.1	140525

* CALCOLATA SULLA SOMMA DELLE PRIME 6 COLONNE

** CALCOLATA SUL TOTALE

TAB. 16

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
PIEMONTE - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	3	11.5	13	50.0	9	34.6	0	0.0	0	0.0	1	3.8	26
15-19	188	20.8	478	53.0	223	24.7	6	0.7	6	0.7	1	0.1	902
20-24	499	24.0	1051	50.5	507	24.3	10	0.5	6	0.3	10	0.5	2083
25-29	604	27.7	1104	50.6	419	19.2	9	0.4	22	1.0	24	1.1	2182
30-34	697	35.6	931	47.5	277	14.1	12	0.6	21	1.1	22	1.1	1960
35-39	498	36.6	641	47.2	183	13.5	4	0.3	18	1.3	15	1.1	1359
>=40	236	38.9	275	45.3	76	12.5	5	0.8	9	1.5	6	1.0	607
TOTALE	2725	29.9	4493	49.3	1694	18.6	46	0.5	82	0.9	79	0.9	9119

TAB. 17

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
V. D'AOSTA - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1
15-19	8	32.0	15	60.0	2	8.0	0	0.0	0	0.0	0	0.0	25
20-24	15	39.5	18	47.4	5	13.2	0	0.0	0	0.0	0	0.0	38
25-29	27	46.6	22	37.9	9	15.5	0	0.0	0	0.0	0	0.0	58
30-34	37	54.4	23	33.8	8	11.8	0	0.0	0	0.0	0	0.0	68
35-39	26	46.4	20	35.7	10	17.9	0	0.0	0	0.0	0	0.0	56
>=40	13	52.0	10	40.0	2	8.0	0	0.0	0	0.0	0	0.0	25
TOTALE	127	46.9	108	39.9	36	13.3	0	0.0	0	0.0	0	0.0	271

TAB. 18

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
LOMBARDIA - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	11	37.9	7	24.1	11	37.9	0	0.0	0	0.0	0	0.0	29
15-19	557	32.9	720	42.6	390	23.0	13	0.8	10	0.6	2	0.1	1692
20-24	1665	37.5	1872	42.2	856	19.3	15	0.3	16	0.4	15	0.3	4439
25-29	2061	41.5	1976	39.7	843	17.0	18	0.4	40	0.8	34	0.7	4972
30-34	2248	46.4	1854	38.3	628	13.0	17	0.4	59	1.2	38	0.8	4844
35-39	1776	48.5	1302	35.6	468	12.8	26	0.7	68	1.9	19	0.5	3659
>=40	792	48.1	608	36.9	200	12.1	8	0.5	34	2.1	5	0.3	1647
TOTALE	9110	42.8	8339	39.2	3396	16.0	97	0.5	227	1.1	113	0.5	21282

TAB. 19

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
BOLZANO - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1
15-19	11	26.2	14	33.3	17	40.5	0	0.0	0	0.0	0	0.0	42
20-24	49	39.8	41	33.3	27	22.0	0	0.0	3	2.4	3	2.4	123
25-29	37	36.6	34	33.7	23	22.8	1	1.0	2	2.0	4	4.0	101
30-34	62	49.6	35	28.0	23	18.4	0	0.0	2	1.6	3	2.4	125
35-39	33	37.9	38	43.7	14	16.1	0	0.0	2	2.3	0	0.0	87
>=40	20	44.4	14	31.1	6	13.3	2	4.4	1	2.2	2	4.4	45
TOTALE	212	40.5	177	33.8	110	21.0	3	0.6	10	1.9	12	2.3	524

TAB. 20

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
TRENTO - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
15-19	28	32.2	42	48.3	16	18.4	1	1.1	0	0.0	0	0.0	87
20-24	113	48.3	94	40.2	24	10.3	1	0.4	2	0.9	0	0.0	234
25-29	116	54.5	72	33.8	24	11.3	1	0.5	0	0.0	0	0.0	213
30-34	159	60.7	72	27.5	21	8.0	1	0.4	4	1.5	5	1.9	262
35-39	139	66.2	51	24.3	13	6.2	1	0.5	5	2.4	1	0.5	210
>=40	63	64.9	22	22.7	9	9.3	1	1.0	2	2.1	0	0.0	97
TOTALE	618	56.0	353	32.0	107	9.7	6	0.5	13	1.2	6	0.5	1103

TAB. 21

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
VENETO - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	0	0.0	4	80.0	1	20.0	0	0.0	0	0.0	0	0.0	5
15-19	124	29.2	186	43.8	101	23.8	13	3.1	0	0.0	1	0.2	425
20-24	403	33.6	500	41.7	267	22.3	25	2.1	4	0.3	1	0.1	1200
25-29	441	32.9	570	42.6	265	19.8	34	2.5	12	0.9	17	1.3	1339
30-34	485	38.4	516	40.9	198	15.7	20	1.6	23	1.8	21	1.7	1263
35-39	443	44.6	367	37.0	137	13.8	20	2.0	16	1.6	10	1.0	993
>=40	220	45.5	186	38.4	58	12.0	8	1.7	8	1.7	4	0.8	484
TOTALE	2116	37.1	2329	40.8	1027	18.0	120	2.1	63	1.1	54	0.9	5709

TAB. 22 I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
FRIULI V.G. - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	0	0.0	1	50.0	1	50.0	0	0.0	0	0.0	0	0.0	2
15-19	70	39.3	66	37.1	38	21.3	4	2.2	0	0.0	0	0.0	178
20-24	166	40.3	163	39.6	67	16.3	7	1.7	5	1.2	4	1.0	412
25-29	223	44.9	193	38.8	60	12.1	10	2.0	6	1.2	5	1.0	497
30-34	284	51.3	186	33.6	68	12.3	7	1.3	6	1.1	3	0.5	554
35-39	220	51.8	157	36.9	40	9.4	3	0.7	3	0.7	2	0.5	425
>=40	127	62.0	53	25.9	20	9.8	4	2.0	0	0.0	1	0.5	205
TOTALE	1090	48.0	819	36.0	294	12.9	35	1.5	20	0.9	15	0.7	2273

TAB. 23 I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
LIGURIA - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	4	66.7	2	33.3	0	0.0	0	0.0	0	0.0	0	0.0	6
15-19	99	35.7	119	43.0	54	19.5	2	0.7	3	1.1	0	0.0	277
20-24	303	40.1	330	43.7	113	15.0	3	0.4	4	0.5	2	0.3	755
25-29	378	44.5	335	39.5	113	13.3	8	0.9	12	1.4	3	0.4	849
30-34	396	47.3	329	39.3	88	10.5	6	0.7	11	1.3	8	1.0	838
35-39	349	49.4	268	38.0	71	10.1	2	0.3	13	1.8	3	0.4	706
>=40	171	58.2	97	33.0	24	8.2	0	0.0	1	0.3	1	0.3	294
TOTALE	1700	45.6	1480	39.7	463	12.4	21	0.6	44	1.2	17	0.5	3725

TAB. 24

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
EMILIA ROM. - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	3	42.9	4	57.1	0	0.0	0	0.0	0	0.0	0	0.0	7
15-19	295	40.8	294	40.7	127	17.6	4	0.6	2	0.3	1	0.1	723
20-24	1080	47.5	841	37.0	325	14.3	10	0.4	9	0.4	10	0.4	2275
25-29	1306	51.2	896	35.1	289	11.3	16	0.6	21	0.8	24	0.9	2552
30-34	1375	56.2	762	31.1	223	9.1	10	0.4	43	1.8	34	1.4	2447
35-39	1106	59.7	568	30.6	127	6.9	4	0.2	29	1.6	20	1.1	1854
>=40	556	60.6	263	28.6	73	8.0	8	0.9	11	1.2	7	0.8	918
TOTALE	5721	53.1	3628	33.7	1164	10.8	52	0.5	115	1.1	96	0.9	10776

TAB. 25

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
TOSCANA - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	1	25.0	3	75.0	0	0.0	0	0.0	0	0.0	0	0.0	4
15-19	263	50.7	170	32.8	77	14.8	3	0.6	3	0.6	3	0.6	519
20-24	804	50.5	544	34.2	227	14.3	11	0.7	5	0.3	1	0.1	1592
25-29	1021	52.7	651	33.6	236	12.2	6	0.3	14	0.7	11	0.6	1939
30-34	1077	58.0	580	31.2	164	8.8	6	0.3	12	0.6	18	1.0	1857
35-39	945	60.6	478	30.6	99	6.3	4	0.3	27	1.7	7	0.4	1560
>=40	505	63.0	231	28.8	50	6.2	2	0.2	11	1.4	3	0.4	802
TOTALE	4616	55.8	2657	32.1	853	10.3	32	0.4	72	0.9	43	0.5	8273

TAB. 26

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
UMBRIA - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	0	0.0	1	50.0	1	50.0	0	0.0	0	0.0	0	0.0	2
15-19	67	40.6	66	40.0	30	18.2	2	1.2	0	0.0	0	0.0	165
20-24	175	40.8	196	45.7	54	12.6	0	0.0	2	0.5	2	0.5	429
25-29	225	45.6	202	41.0	58	11.8	2	0.4	3	0.6	3	0.6	493
30-34	259	53.4	175	36.1	44	9.1	2	0.4	3	0.6	2	0.4	485
35-39	215	52.1	153	37.0	41	9.9	1	0.2	1	0.2	2	0.5	413
>=40	105	59.7	51	29.0	17	9.7	0	0.0	2	1.1	1	0.6	176
TOTALE	1046	48.4	844	39.0	245	11.3	7	0.3	11	0.5	10	0.5	2163

TAB. 27

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
MARCHE - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	1	33.3	1	33.3	1	33.3	0	0.0	0	0.0	0	0.0	3
15-19	125	62.5	48	24.0	26	13.0	0	0.0	1	0.5	0	0.0	200
20-24	366	69.3	132	25.0	27	5.1	1	0.2	1	0.2	1	0.2	528
25-29	380	68.3	128	23.0	33	5.9	3	0.5	5	0.9	7	1.3	556
30-34	419	73.8	114	20.1	23	4.0	1	0.2	3	0.5	8	1.4	568
35-39	379	75.6	89	17.8	19	3.8	2	0.4	8	1.6	4	0.8	501
>=40	218	81.6	38	14.2	7	2.6	0	0.0	2	0.7	2	0.7	267
TOTALE	1888	72.0	550	21.0	136	5.2	7	0.3	20	0.8	22	0.8	2623

TAB. 28

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
LAZIO - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	7	31.8	11	50.0	4	18.2	0	0.0	0	0.0	0	0.0	22
15-19	329	26.6	608	49.2	268	21.7	25	2.0	5	0.4	1	0.1	1236
20-24	924	29.0	1491	46.8	705	22.1	55	1.7	6	0.2	6	0.2	3187
25-29	1176	33.9	1571	45.3	651	18.8	37	1.1	18	0.5	16	0.5	3469
30-34	1304	38.2	1506	44.1	525	15.4	42	1.2	20	0.6	21	0.6	3418
35-39	1128	43.7	1115	43.2	294	11.4	22	0.9	15	0.6	5	0.2	2579
>=40	490	44.6	464	42.2	128	11.6	2	0.2	9	0.8	6	0.5	1099
TOTALE	5358	35.7	6766	45.1	2575	17.2	183	1.2	73	0.5	55	0.4	15010

TAB. 29

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
ABRUZZI - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1
15-19	98	47.6	72	35.0	36	17.5	0	0.0	0	0.0	0	0.0	206
20-24	332	58.2	161	28.2	74	13.0	0	0.0	1	0.2	2	0.4	570
25-29	387	60.2	203	31.6	49	7.6	1	0.2	2	0.3	1	0.2	643
30-34	442	64.9	181	26.6	52	7.6	0	0.0	1	0.1	5	0.7	681
35-39	424	68.7	158	25.6	34	5.5	0	0.0	0	0.0	1	0.2	617
>=40	172	68.0	57	22.5	23	9.1	0	0.0	0	0.0	1	0.4	253
TOTALE	1855	62.4	833	28.0	268	9.0	1	0.0	4	0.1	10	0.3	2971

TAB. 30

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
MOLISE - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	1	50.0	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	2
15-19	49	50.5	35	36.1	13	13.4	0	0.0	0	0.0	0	0.0	97
20-24	103	54.8	69	36.7	14	7.4	0	0.0	1	0.5	1	0.5	188
25-29	124	62.3	56	28.1	18	9.0	0	0.0	1	0.5	0	0.0	199
30-34	173	71.8	58	24.1	10	4.1	0	0.0	0	0.0	0	0.0	241
35-39	156	67.8	65	28.3	9	3.9	0	0.0	0	0.0	0	0.0	230
>=40	81	63.8	43	33.9	3	2.4	0	0.0	0	0.0	0	0.0	127
TOTALE	687	63.4	327	30.2	67	6.2	0	0.0	2	0.2	1	0.1	1084

TAB. 31

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
CAMPANIA - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	2	22.2	4	44.4	3	33.3	0	0.0	0	0.0	0	0.0	9
15-19	386	47.2	333	40.8	93	11.4	1	0.1	4	0.5	0	0.0	817
20-24	1341	54.1	930	37.5	202	8.1	1	0.0	5	0.2	2	0.1	2481
25-29	1625	57.2	1018	35.8	179	6.3	3	0.1	9	0.3	9	0.3	2843
30-34	1774	60.6	998	34.1	134	4.6	4	0.1	5	0.2	14	0.5	2929
35-39	1496	63.5	756	32.1	94	4.0	0	0.0	5	0.2	6	0.3	2357
>=40	817	64.5	378	29.9	60	4.7	2	0.2	6	0.5	3	0.2	1266
TOTALE	7441	58.6	4417	34.8	765	6.0	11	0.1	34	0.3	34	0.3	12702

TAB. 32

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
PUGLIA - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	5	22.7	9	40.9	7	31.8	1	4.5	0	0.0	0	0.0	22
15-19	617	46.8	515	39.0	169	12.8	8	0.6	7	0.5	3	0.2	1319
20-24	1592	54.5	1016	34.8	289	9.9	8	0.3	7	0.2	8	0.3	2920
25-29	1997	58.9	1144	33.7	222	6.5	5	0.1	15	0.4	9	0.3	3392
30-34	2411	65.0	1091	29.4	170	4.6	11	0.3	15	0.4	10	0.3	3708
35-39	1972	66.8	858	29.1	106	3.6	5	0.2	9	0.3	2	0.1	2952
>=40	948	68.1	378	27.1	59	4.2	1	0.1	5	0.4	2	0.1	1393
TOTALE	9542	60.8	5011	31.9	1022	6.5	39	0.2	58	0.4	34	0.2	15706

TAB. 33

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
BASILICATA - 1997

ETA' (ANNI)	<=8		9-10		SETTIMANA GESTAZIONALE 11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
15-19	14	38.9	12	33.3	10	27.8	0	0.0	0	0.0	0	0.0	36
20-24	62	53.4	35	30.2	19	16.4	0	0.0	0	0.0	0	0.0	116
25-29	111	72.1	28	18.2	14	9.1	1	0.6	0	0.0	0	0.0	154
30-34	115	56.7	78	38.4	9	4.4	1	0.5	0	0.0	0	0.0	203
35-39	117	60.6	63	32.6	13	6.7	0	0.0	0	0.0	0	0.0	193
>=40	68	65.4	26	25.0	10	9.6	0	0.0	0	0.0	0	0.0	104
TOTALE	487	60.4	242	30.0	75	9.3	2	0.2	0	0.0	0	0.0	806

TAB. 34

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
CALABRIA - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	4	57.1	1	14.3	2	28.6	0	0.0	0	0.0	0	0.0	7
15-19	157	52.3	92	30.7	49	16.3	0	0.0	2	0.7	0	0.0	300
20-24	420	59.7	208	29.6	70	10.0	2	0.3	3	0.4	0	0.0	703
25-29	613	79.0	89	11.5	69	8.9	2	0.3	3	0.4	0	0.0	776
30-34	775	68.5	273	24.1	76	6.7	4	0.4	4	0.4	0	0.0	1132
35-39	655	70.5	228	24.5	44	4.7	0	0.0	2	0.2	0	0.0	929
>=40	313	72.1	96	22.1	23	5.3	0	0.0	2	0.5	0	0.0	434
TOTALE	2937	68.6	987	23.1	333	7.8	8	0.2	16	0.4	0	0.0	4281

TAB. 35

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
SICILIA - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	8	29.6	12	44.4	7	25.9	0	0.0	0	0.0	0	0.0	27
15-19	362	39.5	390	42.6	159	17.4	1	0.1	3	0.3	1	0.1	916
20-24	885	42.5	895	43.0	287	13.8	6	0.3	6	0.3	3	0.1	2082
25-29	1081	47.6	901	39.7	257	11.3	13	0.6	10	0.4	10	0.4	2272
30-34	1100	48.5	923	40.7	221	9.7	8	0.4	7	0.3	10	0.4	2269
35-39	1026	53.4	703	36.6	174	9.0	7	0.4	11	0.6	2	0.1	1923
>=40	469	53.4	328	37.4	67	7.6	6	0.7	3	0.3	5	0.6	878
TOTALE	4931	47.6	4152	40.1	1172	11.3	41	0.4	40	0.4	31	0.3	10367

TAB. 36

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
SARDEGNA - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	0	0.0	3	60.0	2	40.0	0	0.0	0	0.0	0	0.0	5
15-19	46	27.2	70	41.4	51	30.2	1	0.6	1	0.6	0	0.0	169
20-24	158	46.7	112	33.1	62	18.3	4	1.2	2	0.6	0	0.0	338
25-29	183	48.2	129	33.9	63	16.6	2	0.5	2	0.5	1	0.3	380
30-34	215	48.2	166	37.2	58	13.0	5	1.1	1	0.2	1	0.2	446
35-39	213	57.6	111	30.0	39	10.5	2	0.5	4	1.1	1	0.3	370
>=40	113	55.9	65	32.2	23	11.4	1	0.5	0	0.0	0	0.0	202
TOTALE	928	48.6	656	34.3	298	15.6	15	0.8	10	0.5	3	0.2	1910

TAB. 37

I.V.G. PER PERIODO DI GESTAZIONE E PER ETA' DELLA DONNA
ITALIA - 1997

ETA' (ANNI)	<=8		9-10		11-12		13-15		16-20		>=21		TOTALE
	N	%	N	%	N	%	N	%	N	%	N	%	
<15	51	28.2	79	43.6	49	27.1	1	0.6	0	0.0	1	0.6	181
15-19	3893	37.7	4345	42.1	1949	18.9	84	0.8	47	0.5	13	0.1	10331
20-24	11455	42.9	10699	40.1	4221	15.8	159	0.6	88	0.3	71	0.3	26693
25-29	14116	47.2	11322	37.9	3894	13.0	172	0.6	197	0.7	178	0.6	29879
30-34	15807	52.2	10851	35.8	3020	10.0	157	0.5	240	0.8	223	0.7	30298
35-39	13316	55.5	8189	34.2	2029	8.5	103	0.4	236	1.0	100	0.4	23973
>=40	6497	57.4	3683	32.5	938	8.3	50	0.4	106	0.9	49	0.4	11323
TOTALE	65135	49.1	49168	37.1	16100	12.1	726	0.5	914	0.7	635	0.5	132678

TAB. 38

I.V.G. E LUOGO DI CERTIFICAZIONE - 1997

REGIONE	CONSULTORIO		MEDICO FIDUCIA		SERV. OSTETRICO GINECOLOGICO		ALTRA STRUTTURA SANITARIA		DATO NON RIL. O NON ANALIZ.		TOTALE
	N	%*	N	%*	N	%*	N	%*	N	%**	
ITALIA SETT.	15164	29.1	20934	40.1	15144	29.0	935	1.8	5495	9.5	57672
PIEMONTE	1396	22.2	590	9.4	4265	67.7	47	0.7	4938	43.9	11236
V. D'AOSTA	20	7.4	169	62.4	81	29.9	1	0.4	1	0.4	272
LOMBARDIA	6735	31.6	9261	43.5	4741	22.3	544	2.6	1	0.0	21282
BOLZANO	45	8.6	245	46.7	225	42.9	10	1.9	1	0.2	526
TRENTO	189	17.1	790	71.6	120	10.9	4	0.4	0	0.0	1103
VENETO	1713	28.8	2368	39.9	1795	30.2	66	1.1	119	2.0	6061
FRIULI V.G.	496	21.8	1122	49.2	609	26.7	53	2.3	0	0.0	2280
LIGURIA	858	21.9	1958	49.9	954	24.3	152	3.9	56	1.4	3978
EMILIA ROM.	3712	35.2	4431	42.0	2354	22.3	58	0.5	379	3.5	10934
ITALIA CEN.	9872	33.8	10809	37.1	7787	26.7	696	2.4	770	2.6	29934
TOSCANA	2234	24.9	4673	52.0	1981	22.1	92	1.0	157	1.7	9137
UMBRIA	843	33.8	1084	43.4	510	20.4	59	2.4	51	2.0	2547
MARCHE	169	6.5	1046	40.1	1206	46.2	189	7.2	51	1.9	2661
LAZIO	6626	43.9	4006	26.6	4090	27.1	356	2.4	511	3.3	15589
ITALIA MER.	5555	14.6	18120	47.6	13982	36.7	448	1.2	1370	3.5	39475
ABRUZZI	171	5.7	1123	37.7	1679	56.4	2	0.1	8	0.3	2983
MOLISE	190	17.5	169	15.5	726	66.7	3	0.3	12	1.1	1100
CAMPANIA	2612	21.0	4137	33.2	5664	45.5	42	0.3	1254	9.1	13709
PUGLIA	1838	11.3	9974	61.2	4204	25.8	292	1.8	84	0.5	16392
BASILICATA	12	1.4	169	20.1	660	78.5	0	0.0	3	0.4	844
CALABRIA	732	16.5	2548	57.4	1049	23.6	109	2.5	9	0.2	4447
ITALIA INS.	2424	18.1	5405	40.5	5269	39.4	260	1.9	86	0.6	13444
SICILIA	2067	19.8	3554	34.0	4688	44.8	154	1.5	81	0.8	10544
SARDEGNA	357	12.3	1851	63.9	581	20.1	106	3.7	5	0.2	2900
ITALIA	33015	24.9	55268	41.6	42182	31.8	2339	1.8	7721	5.5	140525

* CALCOLATA SULLA SOMMA DELLE PRIME 4 COLONNE

** CALCOLATA SUL TOTALE

TAB. 39

N. CONSULTORI FAMILIARI FUNZIONANTI - 1997

	N.	PUBBLICI	N.	PRIVATI
		N. CONSULTORI X 10000 DONNE IN ETA' 15-49		
ITALIA SETT.	1019	1.6		93
PIEMONTE	207	2.0		N.R.
V. D'AOSTA	18	6.2		-
LOMBARDIA	288	1.3		47
BOLZANO	-	-		6
TRENTO	1	0.1		1
VENETO	146	1.3		19
FRIULI V.G.	22	0.8		6
LIGURIA	95	2.6		4
EMILIA ROM.	242	2.6		10
ITALIA CEN.	382	1.4		10
TOSCANA	89	1.1		-
UMBRIA	47	2.4		-
MARCHE	76	2.2		10
LAZIO	170	1.3		N.R.
ITALIA MER.	518	1.4		35
ABRUZZI	76	2.4		8
MOLISE	7	0.9		1
CAMPANIA	185	1.2		N.R.
PUGLIA	144	1.3		22
BASILICATA	35	2.3		1
CALABRIA	71	1.4		3
ITALIA INS.	255	1.5		16
SICILIA	177	1.4		9
SARDEGNA	78	1.8		7
ITALIA	2174	1.5		154